Digital Full Color Multifunction Devices

RICOH MP C3003 MP C3503/C4503 MP C5503/C6003 SERIES



MP C5503

55 Full color **MP C6003**

60 Black & wh



Create a hyper-efficient workplace

Optimise your office productivity with the MP C3003 / MP C3503 / MP C4503 / MP C5503 / MP C6003. These fast and reliable colour multifunction devices are perfect for a variety of demanding office tasks. In a crowded marketplace they stand out with their ability to support the increasingly popular SRA3 format (optional). Innovative features such as Searchable PDF, ID Card Copy and Single Pass Duplex Feeder (MP C4503 / C5503 / C6003) improve productivity. Print image-rich documents in large numbers like a professional by making full use of their sophisticated colour management, terrific colour matching and top-quality output.

- Outstanding image reproduction
- Versatile paper handling and finishing options
- Environmentally responsible
- Smaller footprint frees up valuable office space





Professional quality printing

The 1,200 x 1,200 dpi resolution provides superb text and image reproduction which makes these devices ideal for everyday document needs as well as for more complex print jobs. Particularly suited for image-rich print jobs, the evenness of toner density and the vibrancy and stability of colours – even when you print/copy images continuously – will enable you to produce stunning output.

Flexibility in paper handling

Print directly from the standard paper tray on 300 gsm (simplex) or 256 gsm (duplex) feedstock. Optional SRA3 paper handling offers the ability to display crop marks for proofing. Save time by printing envelopes directly from the standard second paper tray.

Easy to use productivity

A large 9" touchscreen offers customisable icons for popular functions. Easily identify documents with sharp display of text and images. Animated user guides (MP C4503 / MP C5503 / MP C6003) help to quickly navigate issues with the MFD, such as clearing paper jams.

A new level of productivity

The innovative features of the MP C3003/MP C3503/MP C4503/MP C5503/MP C6003 are guaranteed to revolutionise your office productivity. Being able to print, copy and scan at high speeds will free you up for other tasks. Their professional finishing options allow you to produce attractive collateral without leaving your office.

Print quickly to save time

These multifunction devices (MFDs) print at speeds up to 60 cpm, offering quick warm up and first copy times. Recovery from sleep mode won't keep you waiting either – it's ready to print when you want.

Model	Warm Up	Colour First Copy	Print Speed (Pages per minute)	Recovery from Sleep mode
MP C3003/3503	19 seconds	7.1 seconds	30/35 seconds	5.6 seconds
MP C4503	20 seconds	5.7 seconds	45 seconds	6.2 seconds
MP C5503	17 seconds	4.5 seconds	55 seconds	7.3 seconds
MP C6003	17 seconds	4.5 seconds	60 seconds	7.3 seconds

Improve finishing efficiency

A large variety of finishing options is available. The internal finisher saves space and is able to punch and staple. Enhance your documents with the 2,000-sheet booklet finisher (80 page booklet) that has fold-without-staple functionality or a 1,000 sheet booklet finisher (60 pages), other options include the 1,000-sheet or 3,000-sheet staple finishers. Punch kits are also available.

Accelerate your workflow

If you quickly need to digitise documents, then you'll love the one button scan functionality. You just select the destination of your choice – email, folder, USB, FTP, etc. – and scan. Another super feature is the Searchable PDF (optional), which embeds invisible texts on scanned PDF images, saving you considerable paper and time. It's fast and easy to set-up onto the network with improved wireless LAN, IEEE802.11 n/w (optional) and standard Gigabit Ethernet support.

A number of user-friendly features are available to further improve document management as well as reduce paper and energy consumption: Quota Setting, Preview before Print, Layout + Booklet Print, Automatic Duplexing and a wide range of Scan-To options for electronic distribution of documents. All backed by a larger Hard Drive for document storage and print on demand capabilities.

These MFDs can move your office beyond simple scanning with optional software that can improve cost management with quota and print rules enforcement, optical character recognition (OCR) capabilities (optional) and automation of tasks. Advanced printing modes such as Sample Print, Locked Print, Hold Print and Store & Hold Print further help to minimise waste. It all adds up to a range of devices that are more cost-effective, sustainable and functional communication hubs.

^{*}Refer to specifications for model configurations.

Why Ricoh?



Tailored solutions for your office

When you buy a Ricoh device you gain access to our Business Solutions Group – a dedicated software support centre. Come to us with your challenge and we will identify the solution, source it internally or develop one specifically to suit your business and integrate into your existing systems.

Free recycling program for Ricoh customers

The biggest action we can take to reduce our environmental impact is to reduce the level of wastage and resources, prolong the life of our products through reuse or recycle end of life material into a feed stream for new products. That's why Ricoh offers a number of free recycling programs to ensure machines, consumables and parts are safely recycled, achieving a recycling ratio of up to 98%. We also accept goods from other companies. To register for one of our recycling programs please visit **ricoh.com.au/about/environment**





Responsible Service

At Ricoh we are dedicated to offering our customers the highest level of service and maintenance; that's why our service response times average a mere four hours and you have access to over 500 manufacturer-trained technicians nationally. To place a service call or speak to one of our friendly customer service agents, simply phone our national contact centre on 1800 181 002 between 8am-8pm EST.

Operationally and environmentally outstanding



Maximum security

Passwords and user authentication prevent unauthorised printing or copying of documents. CC Certification, PDF/A information security and electronic document archiving standards further safeguard your documents, while enhanced encryption levels ensure device security.

Create a more comfortable office

These devices are so quiet in use that you'll hardly notice them. In sleep mode, fans shut down when possible to reduce noise levels to zero. During recovery from sleep mode, initial movements of components are minimal to further reduce noise levels. The built-in duplex unit saves space and reduces the footprint of these devices, which therefore minimise impact on valuable office space.





Save energy and cut CO₂ emissions

At Ricoh we help you lower your environmental footprint. The MP C3003/MP C3503/MP C4503/MP C5503/MP C6003 incorporate environmentally friendly bioplastics and electric furnace steel in some components. A power on/off timer improves device availability and helps to reduce Total Electricity Consumption (TEC) values to among the lowest in this segment. In addition, these sustainable MFDs are Energy Star compliant. This means less CO_2 is produced in providing the energy needed to run them. Track your environmental goals with an Eco-Friendly indicator screen that displays the percentage of duplexed output, individual statistics as well as company-wide use. A customised message promotes printing policies to help curb waste.

Ricoh's stand-out colour MFD





- 1 9-inch touch panel
- 2 Standard second paper tray (will also feed envelopes)
- 1,000 sheet finisher (choice of four finishes)
- 4 Large Capacity Tandem Paper Tray
- **5** Built-in Duplex Unit
- 6 Single Pass Duplex Feeder (MP C4503/5503/6003)
- 7 Power on/off timer
- 8 Automatic reversing document feeder (MP C3003/3503)
- 9 Side Large Capacity Tray

MP C3003/C3503/C4503/C5503/C6003

MAIN SPECIFICATIONS

-	MP C3003	MP C3503	MP C4503	MD CEEUS	MP C6003		
SENERAL	MP C3003	MP C3503	MP C4503	MP C5503	MP C6003		
Varm up time:	19 sec	19 sec	20 sec	17 sec	17 sec		
irst output speed (colour):	7.1 sec	7.1 sec	5.7 sec	4.5 sec	4.5 sec		
rst output speed (B/W):	4.6 sec	4.6 sec	4.0 sec	3.1 sec	3.1 sec		
ontinuous output speed (colour):	30 ppm	35 ppm	45 ppm	55 ppm	60 ppm		
ontinuous output speed (B/W):	30 ppm	35 ppm	45 ppm	55 ppm	60 ppm		
lemory Standard:	1.5 GB (2 GB Max)	1.5 GB (2 GB Max)	2 GB	2 GB	2 GB		
lemory HDD:	250 GB	250 GB	250 GB	250 GB	250 GB		
imensions (W x D x H):	668 x 738 x 1030 mm*	668 x 738 x 1030 mm*	668 x 738 x 1030 mm*	668 x 738 x 1030 mm*	668 x 738 x 1030 mm*		
/eight:	85 kg	85 kg	86 kg	86 kg	*with 2-tray paper bank 86.5 kg		
ower source:	220-240 V, 50/60 Hz	220-240 V, 50/60 Hz	220-240 V, 50/60 Hz	220-240 V, 50/60 Hz	220-240 V, 50/60 Hz		
OPIER	220 240 4, 30/00 112	220 240 4, 30/00 112	220 240 4, 30/00 112	220 240 4, 30/00 112	220 240 4, 30/00 112		
	D						
opying process: Iultiple copying:	Dry electrostatic transfer system Up to 999 copies						
esolution:	600 dpi (4 bit)						
oom:	From 25% to 400% in 1% steps.						
RINTER							
	Chandrad DOLE - DOLC DDE diame	aniat Madianniat (IDEC/TIEE)					
inter Language:	Standard: PCL5c, PCL6, PDF direct						
int receivition.	Option: Adobe® Postscript® 3 TM , I	PDS, PICIBILITY					
rint resolution: hterface:	Maximum: 1,200 x 1,200 dpi	et 10 hase-T/100 hase-TX Ethernet	1000 Rasa.T				
tel luce.	Standard: USB 2.0, SD slot, Ethernet 10 base-T/100 base-TX, Ethernet 1000 Base-T Option: Bi-directional IEEE 1284, Wireless LAN (IEEE 1284, Wireless LAN (IEEE 802.11a/b/q/n), Bluetooth						
etwork protocol:	Standard: TCP/IP (IP v4, IP v6). Op		, , , , , , , , , , , , , , , , , , , ,				
indows® environments:			Windows® Server 2008 Windows®	Server 2008R2			
ac OS environments:	Windows® XP, Windows® Vista, Windows® 7, Windows® Server 2003, Windows® Server 2008, Windows® Server 2008R2 Macintosh OS X v10.2 or later						
NIX environments:		penServer, Redhat® Linux, IBM® AIX	, IBM® System i5™ HPT				
ovell [®] Netware [®] environments:	v6.5		•				
AP® R/3® environments:	SAP® R/3®						
ther supported environments:	NDPS Gateway, AS/400® using OS	5/400 Host Print Transform					
CANNER							
canning speed:	ARDF (MP C3003/C3503)		SPDF (MP C4503/C5503/C6003)			
ıll colour:	80 originals per minute		110 Simplex / 180 Duplex	•			
/W:	80 originals per minute		110 Simplex / 180 Duplex				
esolution:	Maximum: 1,200 dpi						
riginal size:	A3, A4, A5						
le format:		i, Single page PDF, Single page High	compression PDF, Single page PDF-	A, Multi page TIFF, Multi page PDF, I	Multi page High compression Pl		
undled drivers:	Multi Page PDF-A Network TWAIN						
can to:	Email: SMTP, POP, IMAP4						
can to.	Folder: SMB, FTP, NCP						
canner options:	OCR Unit (searchable PDF)						
AX (Optional)							
ircuit:	PSTN, PBX						
ompatibility:	ITU-T (CCITT) G3						
esolution:	. ,	x 100 dpi, 8 x 7.7 line/mm, 200 x 20	0 dpi				
		00 dpi, 16 x 15.4 line/mm, 400 x 40					
ransmission speed:	G3: 2 second(s)						
lodem speed:	Maximum: 33.6 Kbps						
canning speed:	1 second(s)						
lemory capacity:	Standard: 4 MB, Maximum: 28 M						
ax options:	Fax connection unit, G3 additiona	ıı lines (Max 2 extra lines)					
APER HANDLING							
ecommended paper size:	SRA3, A3, A4, A5, A6, B4, B5, B6						
aper input capacity:	Maximum: 4,700 sheets		Maximum: 4,700 sheets				
aper output capacity:	Maximum: 1,625 sheets		Maximum: 3,625 sheets				
aper weight:	52 – 300 gsm		,				
COLOGY							
ower consumption	Maximum 1,700 W		Maximum: 1,850 W				
Ready mode	64 W		110 W				
Sleep mode	Less than 1 W		1 W				
		1,340	1,927	2,664	2,870 W/h		
OFTWARE							
Standard	SmartDeviceMonitor Web Smart	DeviceMonitor®, Web Image Moni	tor				
PTIONS							
ternal shift tray	✓	✓	✓	✓	✓		
ternal finisher	✓	✓	✓	✓	X		
000 sheet Finisher	✓	✓	✓	✓	✓		
000 sheet Finisher	X	X	/	/	<i>,</i>		
	•		•	•	•		
000 sheet Booklet Finisher	✓	✓	✓	✓	✓		
000 sheet Booklet Finisher	X	X	✓	✓	✓		
	ADF handle, 2 x 550-sheet paper to	ray, 2,000-sheet large capacity	2 x 550-sheet paper tray, 2,000-s	sheet large capacity tray, 1,200-shee	et side large capacity tray,		
	tray, 1,200-sheet side large capacity tray, Bridge unit, Punch kit for Bridge unit, Punch kit for 1,000-sheet finisher, Punch kit for 2,000-sheet finisher, Punch kit for booklet						
	1,000-sheet finisher, Punch kit for booklet finisher, One-bin tray, finisher, One-bin tray, Side tray, Console, Counter interface, File format converter, Copy Data Security						
	Side tray, Console, Counter interfac	Side tray, Console, Counter interface, File format converter, Copy Unit, SRA 3 Option.					
	Data Security Unit, SRA 3 Option.	•	•				
	, v						



 $\ensuremath{^{\star}}$ Refer to specifications for Model Configurations







