



Ordering Information

Commercial model number:

CF068A (BGJ)
 CF068A (201/Gov't)
 CF068A (AAZ/220 volt model)

Canada model number:

CF068A

Sidebar

In the box:

Hardware Installation Guide
 Print cartridge
 Support flyer
 Warranty guide
 Power cord
 Software and documentation on CD-ROM
 Telecom cable

Software:

Windows Installer
 HP PCL 6 discrete driver
 Mac SW Link to Web

Standard warranty:

1 year Next Business Day
 Onsite

Replaces

[HP LaserJet M5035 Multifunction Printer](#) Q7829A [Compare](#)

[HP LaserJet M5035x Multifunction Printer](#) Q7830A [Compare](#)

[HP LaserJet M5035xs Multifunction Printer](#) Q7831A [Compare](#)

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service **U2014E**

Next Business Day Onsite with DMR: 3 years **U7A14E**

Get precise document finishing, one-touch workflows, and many scan-to options on a versatile A3 MFP.

Do more—with document sizes up to A3, and high-capacity cartridges¹ and paper trays. Print nearly to the page's edge, and even staple. Copy, scan, and fax²—and print from smartphones and tablets from virtually anywhere with HP ePrint.³



[Enlarge Image](#)

Set a swift pace—use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets. Preview and control jobs on the 8-inch color touchscreen. Scan to multiple locations, and print via an easy-access USB port.

Monitor your devices with industry-leading tools like HP Web Jetadmin.⁴ Help protect data in transit and at rest. Enhance security with PIN printing. Add safeguards via the hardware integration pocket. Integrate tomorrow's solutions with ease.

Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use.⁵ Easily manage printing policies with HP EcoSMART Fleet.⁶ Save paper, using automatic two-sided printing.

Compatible Operating Systems

Standard Desktop

| | |
|---------------------|---|
| Windows XP | SP2+ |
| Windows Server 2003 | SP1+ |
| Windows Server 2008 | 32/64-bit |
| Windows Server 2012 | 64-bit |
| Windows® 7 | * |
| Windows® 8 | * |
| Mac OS | Mac OS X v 10.6, 10.7, 10.8 |
| Other | Citrix and Windows Terminal Services (hp.com/go/upd); Novell (novell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix, hp.com/go/unixmodelscripts, hp.com/go/jetdirectunix_software); SAP device types (hp.com/go/sap/drivers, hp.com/go/sap/print); HP ePrint Mobile Driver (hp.com/go/eprintmobiledriver) |

Additional Information

| | |
|--------------------------|--|
| Sales | www.hp.com Data Sheet 4AA4-5988ENUC |
| Technical Support | www.hp.com/support |
| Third-party solutions | www.hpgsc.com |
| Reseller Services | http://hp.com/partners/us http://www.hp.com/go/services |
| Supplies and accessories | www.hp.com |
| Battlecards | M725 Battlecard |
| Guides and Brochures | M725 Product Guide 4AA4-6256ENUC |

Optional Care Pack Services

Installation with Network Setup Service

U2014E

Same Day Onsite, Standard Business Hours: 3 years

U7A08E

Same Day Onsite, Standard Business Hours: 4 years

U7A10E

Same Day Onsite, Standard Business Hours: 5 years

U7A12E

Same Day Onsite, Extended Business Hours: 3 years

U7A09E

Same Day Onsite, Extended Business Hours: 4 years

U7A11E

Same Day Onsite, Extended Business Hours: 5 years

U7A13E

Next Business Day Onsite with DMR: 3 years

U7A14E

Next Business Day Onsite with DMR: 4 years

U7A15E

Next Business Day Onsite with DMR: 5 years

U7A16E

Next Business Day Onsite Call-to-Repair with DMR: 3 years

U7Y66E

Next Business Day Onsite Call-to-Repair with DMR: 4 years

U7Y67E

Next Business Day Onsite Call-to-Repair with DMR: 5 years

U7Y68E

Brand Specifications

PRINTER

| | |
|--|---|
| Print Technology | Laser |
| AIO/MFP Functions | Black and white printing, black and white copying, black and white faxing, color scanning |
| Print Speed Black, Letter: ISO/Best Quality | Up to 40 ppm ^Z |
| First Page Out | As fast as 10 sec from Ready mode |
| Processor | 800 MHz |
| Paper Trays, Std | 6 |
| Paper Trays, Max | 6 |
| Input Capacity, Std | 2,100 sheets |
| Input Capacity, Max | 2,100 sheets |
| Output Capacity, Std | 750 sheets |
| Output Capacity, Max | 750 sheets |
| Envelope Input, Std | 10 |
| Envelope Feeder | No |
| Two-Sided Printing | Automatic (standard) |
| Typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts |
| Print Quality, Black Best | Up to 1200 x 1200 dpi |
| Print Resolution Technology | HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi |
| Print Cartridges | 1 (black) |
| Print Languages, Std | HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF |
| Printer Management | HP Web Jetadmin, HP Utility (Mac) |
| Display Type | 8.0-in (20.3 cm) touchscreen; LCD (color graphics) ; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu) |

SCANNER

| | |
|----------------------------------|--|
| Scan Speed | Up to 19 ipm (black and white), up to 14 ipm (color) from ADF; ⁸ up to 49 ppm (black and white), up to 30 ppm (color) from Normal speed, letter |
| Scan Resolution, Enhanced | Not available |
| Scan Resolution, Optical | Up to 600 dpi |
| Grayscale Levels | 256 |

COPIER

| | |
|--|--|
| Copy Speed, Max, Black | Up to 40 cpm |
| Copy Resolution, Black Text | Up to 600 x 600 dpi |
| Copy Resolution, Black Graphics | Up to 600 x 600 dpi |
| Copier Settings | Sides, collate, paper selection, reduce/enlarge, image adjustment, content orientation, pages per sheet, booklet format, edge to edge, optimize text/picture, original size, job build |
| Number Of Copies, Max | 9999 |
| Copier Reduce/Enlarge | 25–400% |

FAX

Second Business Day Onsite Call-to-Repair with DMR: 3 years **U7Y69E**

Second Business Day Onsite Call-to-Repair with DMR: 4 years **U7Y70E**

Second Business Day Onsite Call-to-Repair with DMR: 5 years **U7Y71E**

Maintenance Kit Replacement Service (Fuser) **U1PB5E**

Maintenance Kit Replacement Service (ADF) **U1PB7E**

Post Warranty Service, Remote User Assistance Support: 1 year **UU926PE**

Post Warranty Service, Same Day Onsite, Standard Business Hours: 1 year **U7Y74PE**

Post Warranty Service, Same Day Onsite, Extended Business Hours: 1 year **U7Y75PE**

Post Warranty Service, Next Business Day Onsite: 1 year **UE696PE**

Post Warranty Service, Next Business Day Onsite: 2 years **U7Y73PE**

Post Warranty Service, Next Business Day Onsite with DMR: 1 year **U7Y76PE**

Post Warranty Service, Next Business Day Onsite Call-to-Repair with DMR: 1 year **U7Y78PE**

| | |
|--------------------------------------|--|
| Fax Speed | 3 sec per page ⁹ |
| Fax Resolution, Best | Up to 300 x 300 dpi (400 x 400 dpi for received faxes only) |
| PC Fax Interface | Yes |
| Speed Dialing, Max Numbers | Up to 100 numbers (each can contain 100 numbers) |
| Fax Forwarding | Yes |
| Fax Blocking | Yes |
| DIGITAL SENDING | |
| Digital Sending Features, Std | Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL |
| Digital Sending Features, Opt | Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book |
| Digital Sending File Formats | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) |
| GENERAL | |
| Duty Cycle, Monthly | Up to 200,000 pages ¹⁰ |
| Recommended Monthly Volume | 5,000 to 20,000 pages ¹¹ |
| ADF Capacity | 100 sheets |
| Media Types | Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum |
| Media Sizes, Std | Tray 1, 2: Letter, legal, executive, 8.5 x 13 in; tray 3: letter, legal, executive, 8.5 x 13 in, 11 x 17 in; tray 4, 5, 6: letter, letter-R, legal, executive, 8.5 x 13 in, 11 x 17 in, 16K |
| Media Sizes, Std, Metric | A3; A4; A5; B4 (JIS); B5 (JIS) |
| Media Sizes, Custom | Tray 1: 3 x 5 in to 12.3 x 18.5 in; tray 2: 5.8 x 8.3 in to 11.7 x 14.3 in; tray 3, 4, 5, 6: 5.8 x 8.3 in to 11.7 x 17 in |
| Media Sizes, Custom, Metric | Tray 1: 76.2 x 127 to 312 x 469.9 mm; tray 2: 148 x 210 to 297 x 363 mm; tray 3, 4, 5, 6: 148 x 210 to 297 x 431 mm |
| Media Weights | Tray 1: 16 to 53 lb; tray 2, 3, 4, 5, 6: 16 to 32 lb |
| Media Weights, Metric | Tray 1: 60 to 199 g/m ² ; trays 2, 3, 4, 5, 6: 60 to 120 g/m ² |
| Connectivity, Std | 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network, Foreign Interface, Hardware Integration Pocket, 2 Internal USB Host |
| Connectivity, Opt | HP Jetdirect wireless print servers |
| Mobile Printing Capability | HP ePrint, Apple AirPrint |
| Memory, Std | 1 GB |
| Memory, Max | 1.5 GB |
| Hard Disk Drive | Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) |
| Power Supply Type | Built-in power supply |
| Power Supply Required | 110-volt input voltage: (Option #BGJ, #201) 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: (Option #AAZ) 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual |

Post Warranty Service, Second Business Day Onsite Call-to-Repair with DMR: 1 year

U7Y79PE

| | |
|--|---|
| | voltage, power supply varies by part number with # Option code identifier) |
| Power Consumption | 890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off) ¹² |
| Typical Electricity Consumption (TEC) | 3.81 kWh/Week |
| ENERGY STAR® Qualified | Yes |
| Mac Compatible | Yes |
| Dimensions (W x D x H) | 36.1 x 40.6 x 46.9 in (maximum), 29.3 x 26.8 x 46.9 in (minimum) |
| Weight | 206.3 lb |
| Dimensions, Metric | 917 x 1032 x 1192 mm (maximum), 745 x 681 x 1192 mm (minimum) |
| Weight, Metric | 92.35 kg |
| Shipping Dimensions | 33.7 x 29.9 x 61.1 in |
| Shipping Weight | 249 lb |
| Shipping Dimensions, Metric | 856 x 760 x 1553 mm |
| Shipping Weight, Metric | 113 kg |
| Pallet Dimensions | 33.7 x 29.9 x 61.1 in |
| Pallet Dimensions, Metric | 856 x 760 x 1553 mm |
| Pallet Weight | 249 lb |
| Pallet Weight, Metric | 113 kg |
| Quantity Per Pallet | 1 |

Jetdirect Products

[HP Jetdirect 2800w NFC/Wireless Direct Accessory \(J8029A\)](#)

[HP Jetdirect ew2500 802.11b/g Wireless Print Server \(J8021A\)](#)

[HP Jetdirect 2700w USB Wireless Print Server \(J8026A\)](#)

Accessories

HP Universal Print Driver for Windows 5.2

HP Universal Print Driver for Windows (J7980A/J7981A)

Memory and mass storage

HP 200-pin DDR2 512 MB x64 DIMM (CF306A)

Paper-handling accessories

HP Staple Cartridge Refill (C8091A)

Maintenance kits

HP LaserJet CF249A 110V Maintenance/Fuser Kit (CF249A)

HP LaserJet CF254A 220V Maintenance/Fuser Kit (CF254A)

HP 100 ADF Roller Replacement Kit (L2718A)

LaserJet font solutions

HP BarCode Printing Solution (HG271TT)

HP MICR Printing Solution - USB (HG277TT)

HP BarCodes and More v.2 - USB (HG281TS)

HP Scalable BarCodes v.2 - USB (HG282TT)

HP MICR Font v.2 - USB (HG283TS)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 14A Black Original LaserJet Toner Cartridge ([CF214A](#))

HP 14X High Yield Black Original LaserJet Toner Cartridge ([CF214X](#))

Compatible Paper Products

Top Recommended Papers

HP Multipurpose Paper

| | | | |
|-------------|-------|-------------------------|--------------------------|
| 8.5 x 11 in | 20 lb | 500 sheets | HPM1120R |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPM1120C |
| 8.5 x 14 in | 20 lb | 500 sheets | HPM1420 |

HP Brochure and Presentation Papers

HP Premium Glossy Presentation Paper

| | | | |
|--|-------|-------------------------|--------------------------|
| 8.5 x 11 in | 32 lb | 250 sheets | CG988A |
| HP Laser Glossy Tri-fold Brochure Paper | | | |
| 8.5 x 11 in | 40 lb | 150 sheets | Q6612A |
| HP Laser Glossy Brochure Paper | | | |
| 8.5 x 11 in | 52 lb | 100 sheets | Q6608A |
| 8.5 x 11 in | 40 lb | 150 sheets | Q6611A |
| HP Everyday Papers | | | |
| HP Premium Choice Laser Paper | | | |
| 8.5 x 11 in | 32 lb | 500 sheets | HPU1132 |
| HP LaserJet Paper | | | |
| 8.5 x 11 in | 24 lb | 500 sheets | HPJ1124 |
| 8.5 x 11 in | 24 lb | 2,500 sheets (5 reams) | HPJ115R |
| HP All-in-One Printing Paper | | | |
| 8.5 x 11 in | 22 lb | 500 sheets | HPT1122 |
| 8.5 x 11 in | 22 lb | 2,500 sheets | HPT115 |
| HP Multipurpose Paper | | | |
| 8.5 x 11 in | 20 lb | 500 sheets | HPM1120R |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPM1120C |
| 8.5 x 11 in | 20 lb | 2,500 sheets (5 reams) | HPM115RC |
| 8.5 x 11 in, 3-hole punch | 20 lb | 500 sheets | HPM113H |
| 8.5 x 14 in | 20 lb | 500 sheets | HPM1420 |
| HP Office Paper | | | |
| 8.5 x 11 in | 20 lb | 2,500 sheets (5 reams) | HPC115RC |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPC8511C |
| 8.5 x 11 in, 3-hole punch | 20 lb | 500 sheets | HPC3HP |
| 8.5 x 14 in | 20 lb | 500 sheets | HPC8514 |
| 8.5 x 11 in | 20 lb | 500 sheets | HPC8511R |
| HP Office Quickpack | | | |
| 8.5 x 11 in | 20 lb | 2,500 sheets | HP2500S |
| HP Recycled Paper | | | |
| 8.5 x 11 in | 20 lb | 500 sheets | HPE1120R |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPE1120C |
| HP Business Copy Paper | | | |
| 8.5 x 11 in | 20 lb | 500 sheets | HPBC11 |
| HP Everyday Copy and Print Paper | | | |
| 8.5 x 11 in | 20 lb | 500 sheets | HPA510 |

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

1. High-capacity cartridges are optional for the HP LaserJet Enterprise MFP M725 Series.
2. Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn.
3. Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.
4. HP Web Jetadmin is free and can be downloaded at www.hp.com/go/webjetadmin.
5. HP Auto-On and Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

- 6 . HP EcoSMART Fleet must be purchased separately.
- 7 . Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 8 . Scan speeds vary according to complexity of the document and the specifications of the connected PC or MAC.
- 9 . Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- 10 . Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 11 . HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 12 . Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.