# HP LaserJet Pro 400 color Printer M451nw



## Ordering Information

Commercial model number: CE956A (BGJ)

Canada model number: **CE956A** 

#### Sidebar

#### In the box:

Introductory print cartridges (1 each black, cyan, magenta and yellow)3 Hardware installation guide Software drivers and documentation on CD-ROM Power cord Built-in wireless card USB cable

#### Software:

#### Windows-compatible:

HP Installer/Uninstaller HP PCL 6 print driver Status Alerts **HP Update** DXP

#### Mac-compatible:

HP Installer/Uninstaller HP Postscript driver **HP Setup Assistant HP Utility** 

**HP Alerts** 

**HP Firmware Updater** 

## Standard warranty:

1 year, Return to HP Authorized Service Center

#### Replaces

HP Color LaserJet CP2025n Printer	CB494A Compare
HP Color LaserJet CP2025dn Printer	CB495A Compare
HP Color LaserJet CP2025x Printer	CB496A Compare

## **HP Care Pack Options**

## **Recommended Care Pack**

Get professional-quality color documents with wireless convenience and network sharing.

Make an impression with professional color marketing materials created in house. Enjoy high productivity and great print speeds on a variety of laser media. Get the same black printing cost per page as from a black-and-white HP LaserJet.2

Maximize your productivity with a versatile color laser printer. Easily manage networked resources, using convenient, intuitive setup and easy-to-use management features.

Take advantage of easy-to-use features that can help reduce your environmental impact. HP Auto-On/Auto-Off and Instant-on technologies save energy, and HP SureSupply and HP Planet Partners help you purchase and recycle toner cartridges.



Enlarge Image

## Compatible Operating Systems

## **Standard Desktop**

Windows XP	32-bit (SP2 or higher)
Windows Server 2003	32-bit (SP3 or higher)
Windows Server 2008	32/64-bit
Windows Vista®	32/64-bit
Windows® 7	32/64-bit
Mac OS	Mac OS X v 10.5, 10.6
Other	Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9

### **Standard Network**

Windows VD

WINDOWS XP	32-bit (SP2 or nigner)
Windows Server 2003	32-bit (SP3 or higher)
Windows Server 2008	32/64-bit
Windows Vista®	32/64-bit
Windows® 7	32/64-bit
Other	Mac OS X v 10.5, 0.6; Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPLIX 11 and Solaris 8/9

22 hit (CD2 or higher)

Services	Sales	www.hp.com
Installation H3110		Data Sheet CE956A
Installation with Network	Toomingar Support	www.hp.com/support
Setup Service	Third-party solutions	www.hpgsc.com
	Reseller	http://hp.com/partners/us
Next Business U1H88		http://www.hp.com/go/services
Day Exchange: 3 years	Supplies and accessories	www.hp.com
Optional Care Pack Serv	ices Prand Specifications	
Installation with Network	Brand Specifications  PRINTER	_
Setup Service		Laner
Next Business Day Exchange:	Print Technology Print Speed Black, Letter:	Laser
3 years	ISO/Best Quality	Up to 21 ppm <sup>4</sup>
	Print Speed Color, Letter:	Ορ το 21 ρρπ-
Post Warranty HC127	PE ISO/Best Quality	Up to 21 ppm <sup>4</sup>
Service, Remote User Assistance	First Page Out	As fast as 17 sec black and color from Ready mode
Support: 1	Processor	600 MHz
year	Paper Trays, Std	2
	Paper Travs. Max	3
Post Warranty U1H98	PE Input Capacity, Std	300 sheets
Service, Next	Input Capacity, Max	550 sheets
Day Exchange:	Output Capacity, Std	150 sheets
1 year	Output Capacity, Max	150 sheets
	Envelope Input, Std	10
	Envelope Feeder	No
	Two-Sided Printing	Manual (driver support provided)
	Typefaces	80 scalable TrueType fonts
	Prints Color	Yes
	Print Quality, Color Best	Up to 600 x 600 dpi
	Print Resolution Technology	HP ImageREt 3600
	Print Languages, Std	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation
	Printer Management	Windows: HP Device Toolbox (default install), SNP Alerts (minimum network install), HP Web Jetadmin (download); Mac: HP Utility
	Display Type	2-line LCD (text)
	GENERAL	
	Duty Cycle, Monthly	Up to 40,000 pages <sup>5</sup>
	Recommended Monthly Volume	750 to 2,000 pages <sup>6</sup>
	Media Types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparencies,
		labels, envelopes

Media Sizes, Std

Media Sizes, Std, Metric

Media Sizes, Custom

**Media Weights** 

Media Sizes, Custom, Metric

Tray 1: letter, legal, executive, 8.5 x 13 in, 3 x 5

Tray 1: A4, A5, A6, B5 (JIS), 16K, 10 x 15 cm, postcards (JIS single, JIS double), envelopes (ISO DL, ISO C5, ISO B5); tray 2, optional tray 3: A4, A5, A6, B5 (JIS), 16K, 10 x 15 cm, postcards (JIS single, JIS double), envelopes

Tray 1: 3 x 5 in to 8.5 x 14 in; tray 2, optional

Tray 1: 76 x 127 to 216 x 356 mm; tray 2,

optional tray 3: 100 x 148 to 216 x 356 mm

Tray 1: 16 to 47 lb (up to 58 lb with HP color laser glossy photo papers); tray 2, optional tray

in, 4 x 6 in, 5 x 8 in, envelopes (No. 10, Monarch); tray 2, optional tray 3: letter, legal, executive, 8.5 x 13 in, 4 x 6 in, 5 x 8 in,

envelopes (No. 10, Monarch)


(ISO DL, ISO C5, ISO B5)

tray 3: 3.94 x 5.83 in to 8.5 x 14 in

	3: 16 to 43 lb (up to 47 lb with postcards, up to
BR U SALLULA BRANCE	58 lb with HP color laser glossy photo papers)
Media Weights, Metric	Tray 1: 60 to 176 g/m² (up to 220 g/m² with
	postcards and HP color laser glossy photo
	papers); tray 2, optional tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards)
Connectivity, Std	Hi-Speed USB 2.0, Fast Ethernet 10/100Base-
•	TX network, wireless 802.11 b/g/n
Connectivity, Opt	None
Mobile Printing Capability	HP ePrint, Wireless direct printing, Apple AirPrint™
Memory, Std	128 MB
Memory, Max	384 MB
Hard Disk Drive	None
Power Supply Type	Internal (Built-in) power supply
Power Supply Required	Input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz)
Power Consumption	425 watts (Active), 15.2 watts (Ready), 4.0 watts (Sleep), 0.5 watts (Off) <sup>Z</sup>
Typical Electricity Consumption (TEC)	1.509 kWh/Week
ENERGY STAR® Qualified	No
Mac Compatible	Yes
Dimensions (W x D x H)	15.9 x 25.9 x 12.7 in (maximum), 15.9 x 17.9 x 12.7 in (minimum)
Weight	50.1 lb
Dimensions, Metric	405 x 659 x 322 mm (maximum), 405 x 454 x 322 mm (minimum)
Weight, Metric	22.74 kg
Shipping Dimensions	
Shipping Dimensions	23.42 x 19.48 x 18.18 in
Shipping Weight	23.42 x 19.48 x 18.18 in 59.4 lb
Shipping Weight Shipping Dimensions, Metric Shipping Weight, Metric	59.4 lb
Shipping Weight Shipping Dimensions, Metric	59.4 lb 595 x 495 x 462 mm
Shipping Weight Shipping Dimensions, Metric Shipping Weight, Metric	59.4 lb 595 x 495 x 462 mm 27 kg
Shipping Weight Shipping Dimensions, Metric Shipping Weight, Metric Pallet Dimensions Pallet Dimensions, Metric Pallet Weight	59.4 lb 595 x 495 x 462 mm 27 kg 47.2 x 39.6 x 97.4 in 1200 x 1000 x 2474 mm 1237.9 lb
Shipping Weight Shipping Dimensions, Metric Shipping Weight, Metric Pallet Dimensions Pallet Dimensions, Metric Pallet Weight Pallet Weight, Metric	59.4 lb 595 x 495 x 462 mm 27 kg 47.2 x 39.6 x 97.4 in 1200 x 1000 x 2474 mm 1237.9 lb 562.7 kg
Shipping Weight Shipping Dimensions, Metric Shipping Weight, Metric Pallet Dimensions Pallet Dimensions, Metric Pallet Weight	59.4 lb 595 x 495 x 462 mm 27 kg 47.2 x 39.6 x 97.4 in 1200 x 1000 x 2474 mm 1237.9 lb

## HP LaserJet Pro 400 color M451





## Accessories

### **HP Universal Print Driver for Windows 5.2**

HP Universal Print Driver for Windows (J7980A/J7981A)

### Memory and mass storage

HP 256 MB DDR2 144-pin DIMM (CB423A)

### Paper-handling accessories

HP LaserJet 250-sheet Paper Feeder (CF106A)

#### LaserJet font solutions

HP BarCodes and More/144-pin DIMM (HG281GS)

HP MICR Font/144-pin DIMM (HG283GS)

# Compatible Supplies

## **HP LaserJet Cartridges and Kits**

HP 305A Black Original LaserJet Toner Cartridge (CE410A)

HP 305X High Yield Black Original LaserJet Toner Cartridge (CE410X)

HP 305X 2-pack High Yield Black Original LaserJet Toner Cartridges (CE410XD)

HP 305A Cyan Original LaserJet Toner Cartridge (CE411A)
HP 305A Yellow Original LaserJet Toner Cartridge (CE412A)
HP 305A Magenta Original LaserJet Toner Cartridge (CE413A)
HP 305A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges (CF370AM)

## **Compatible Paper Products**

Top	Recommended	<b>Papers</b>
-----	-------------	---------------

HP Premium Glossy Preser	ntation Paper		
8.5 x 11 in	32 lb	250 sheets	<u>CG988A</u>
HP Laser Glossy Brochure	Paper		
8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A
IID Daniel on Ohalas I assu	<b>D</b>	,	
HP Premium Choice Laser 8.5 x 11 in	Paper 32 lb	500 sheets	UDI 14422
6.5 X 11 III	32 10	500 Sileets	<u>HPU1132</u>
HP Brochure and Presentat	ion Papers		
HP Laser Matte Brochure P	aper		
8.5 x 11 in	52 lb	100 sheets	Q8824A
8.5 x 11 in	40 lb	150 sheets	Q6543A
HP Everyday Papers			
	Danar		
HP Premium Choice Laser 8.5 x 11 in	32 lb	500 sheets	HPU1132
0.5 X 11 III	JZ IU	SOO SHEETS	11501132
HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R
HP All-in-One Printing Pape	er		
8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	<u>HPT115</u>
HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	<u>HPM113H</u>
8.5 x 14 in	20 lb	500 sheets	<u>HPM1420</u>
HP Office Paper			
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP
8.5 x 14 in	20 lb	500 sheets	<u>HPC8514</u>
8.5 x 11 in	20 lb	500 sheets	<u>HPC8511R</u>
HP Office Quickpack			
8.5 x 11 in	20 lb	2,500 sheets	<u>HP2500S</u>
HP Recycled Paper			
8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	<u>HPE1120C</u>
HP Business Copy Paper			
8.5 x 11 in	20 lb	500 sheets	HPBC11
HP Everyday Copy and Prir	nt Paper		
8.5 x 11 in	20 lb	500 sheets	HPA510

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

1. Wireless performance is dependent upon physical environment and distance from access

point, and may be limited during active VPN connections.

- 2. Compared with HP LaserJet Pro P1606dn printer. Assuming customer is printing at least 30 percent of total pages in color with content similar to the color ISO/IEC 19798 test suite (http://www.iso.org/jtc1/sc28) and overall average job length of three pages. Yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors.
- 3. Introductory cartridges: average continuous composite cyan/yellow/magenta cartridge yield 1,400 pages and average continuous black cartridge yield 1,400 pages. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/ go/learnaboutsupplies
- 4. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 5 . Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 6. HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 7. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.