Family data sheet

HP Color LaserJet Enterprise M855 series



M855dn • M855xh



(HP Color LaserJet Enterprise M855xh shown)

HP Color LaserJet Enterprise M855 series



HP Color LaserJet Enterprise M855xh

- ¹ Touch-to-print capability is optional to HP LaserJet Enterprise M855xh A2W78A, and HP LaserJet Enterprise M855dn A2W77A. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/mobileprinting
- ² Supports OS X® Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: iPad® (all models), iPhone® (3GS or later), and iPod touch® (third generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Wireless performance is dependent on physical environment and distance from the access point. OS X, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the United States and other countries. AirPrint™ and the AirPrint logo are trademarks of Apple Inc.
- ³ Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.
- ⁴ Paper-handling options depend on the output configuration selected at time of purchase.
- ⁵ The HP High-Performance Secure Hard Disk is not available on the HP Color LaserJet Enterprise M855dn model.
- ⁶ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
- ⁷ HP Imaging and Printing Security Center must be purchased separately.

This colour printer gives your entire organization access to fast, simplified colour printing with professional finishing options. Protect your investment—you can easily upgrade and add to this device's capabilities as your business needs evolve.

Top features

The printing speed you need

- Equip employees to fly through tasks with the large 4.3-inch touchscreen.
- Show your company's true colours—make colour printing vibrant, consistent, and affordable for every department.
- Let employees bind big jobs faster, using the built-in finishing options.⁴

Invest once, expand easily, and manage efficiently

- Expand your options. Easily upgrade firmware on your schedule. Easily integrate solutions or devices at will.
- Help build business efficiency. Centrally monitor and control printers with HP Web Jetadmin.⁶
- Apply fleet-wide policies to help protect your HP devices with HP Imaging and Printing Security Center.⁷
- Confidently safeguard the sensitive data sent to the printer with the HP High-Performance Secure Hard Disk.⁵

Mobile printing—more efficient

- Mobile printing at a touch—enable touch-to-print convenience from mobile devices.¹
- Let employees print from mobile devices with built-in print capability or HP ePrint app and software.³
- Give users the power to print wirelessly from an iPad®, iPhone®, or iPod touch®.^{2,1}

Product walkaround

- 1 Hardware integration Pocket for solution integration
- 2 Auto-on/Auto-off
- 3 500-sheet input tray (1st tray)
- 4 500-sheet input tray (2nd tray)
- 5 500-sheet input tray (3rd tray)
- 6 500-sheet input tray (4th tray)
- 7 4.3-in WQVGA 480 x 272 resistive touch display with Home button
- 8 Easy Access USB port
- 9 100-sheet MP Tray, with long paper extension
- 10 On paper calibration sensor
- 11 Built-in auto duplex
- 12 Encrypted HDD

HP Color LaserJet Enterprise M855xh shown



Series at a glance





- 7

	M855dn	M855xh
Part number	A2W77A	A2W78A
Gigabit Ethernet networking	\checkmark	\checkmark
Automatic two-sided printing	\checkmark	\checkmark
100-sheet main paper tray	\checkmark	\checkmark
500-sheet tray	\checkmark	\checkmark
4 x 500-sheet input tray	NA	\checkmark
500-sheet face-down bin	\checkmark	\checkmark
1 x 500-sheet feeder with cabinet	Optional	NA
3 x 500-sheet feeder with cabinet	Optional	NA
High Capacity Input with 1 x 1,500-sheet tray and 1 x 2,000-sheet feeder	Optional	ΝΑ
HP High Performance Secure Hard Disk	NA	\checkmark
ENERGY STAR [®] qualified	\checkmark	\checkmark

EcoHighlights

HP Color LaserJet Enterprise M855 Series

 HP Auto-On and Auto-Off Technology capabilities subject to printer and settings.1

ENERGY STAR® gualified energy Join HP in more sustainable printing ENERGYSTAR hp.com/ecosolutions

HP Auto-On/Auto-Off Technology turns the MFP On when you need it and Off when you don't.

¹ Average colour composite (C/M/Y) and black declared

Actual yields vary considerably based on images

printed and other factors. For details, see hp.com/go/learnaboutsupplies

yields based on ISO/IEC 19798 and continuous printing.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service: Onsite replacement of your printer's maintenance kit including parts, materials, and labour

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Product at a glance

Drintore

Printers HP Color LaserJet Enterprise M855dn Printer HP Color LaserJet Enterprise M855xh Printer	A2W77A A2W78A
Toner cartridges' HP 826A Black LaserJet Toner Cartridge (29,000 pages) HP 826A Cyan LaserJet Toner Cartridge (31,500 pages) HP 826A Yellow LaserJet Toner Cartridge (31,500 pages) HP 826A Magenta LaserJet Toner Cartridge (31,500 pages) HP 828A Black LaserJet Imaging Drum (30,000 pages) HP 828A Cyan LaserJet Imaging Drum (30,000 pages) HP 828A Yellow LaserJet Imaging Drum (30,000 pages) HP 828A Magenta LaserJet Imaging Drum (30,000 pages)	CF310A CF311A CF312A CF313A CF358A CF359A CF364A CF365A
Orderable supplies HP LaserJet Transfer and Roller Kit (~150,000 pages) HP Color LaserJet 110-Volt Fuser Kit (~100,000 pages) HP Color LaserJet 220-Volt Fuser Kit (~100,000 pages) HP Stapler Cartridge Refill HP 2-pack 2000-staple Cartridge	D7H14A C1N54A C1N58A C8091A CC383A
Accessories HP LaserJet Booklet Maker/Finisher HP LaserJet Booklet Maker/Finisher with 2/3 hole punch HP LaserJet Booklet Maker/Finisher with 2/4 hole punch HP LaserJet Stapler/Stacker HP LaserJet Stapler/Stacker with 2/4 hole punch HP LaserJet 1 x 500-Sheet Tray w/Stand Accessory HP LaserJet 3 x 500-Sheet Feeder Stand HP LaserJet 1 X 3,500-Sheet Feeder HP JetDirect 2700w USB Wireless Print Server HP JetDirect 2800w NFC/Wireless Direct Accessory	A2W83A A2W84A CZ999A A2W80A A2W82A C2H56A C1N63A C1N64A J8026A J8029A
HP Care Packs HP 2-year Next Business Day Color LaserJet M855 Hardware Support HP 3-year Next Business Day Color LaserJet M855 Hardware Support HP 3-year Next Business Day Color LaserJet M855 Hardware Support HP 4-year Next Business Day Color LaserJet M855 Hardware Support HP 3-year Next Business Day Color LaserJet M855 Hardware Support HP 3-year Next Business Day + Disk Media Retention Color LaserJet M855 Hardware Support HP 4-year Next Business Day + Disk Media Retention Color LaserJet M855 Hardware Support HP 3-year Next Business Day + Disk Media Retention Color LaserJet M855 Hardware Support HP 3-year Next Business Day 2 Call to Repair with Disk Media Retention Color LaserJet M855 Hardware Support HP 4-year Next Business Day Call to Repair with Disk Media Retention Color LaserJet M855 Hardware Support HP 5-year Next Business Day Call to Repair with Disk Media Retention Color LaserJet M855 Hardware Support HP 5-year Next Business Day Call to Repair with Disk Media Retention Color LaserJet M855 Hardware Support HP 5-year Next Business Day Call to Repair with Disk Media Retention Color LaserJet M855 Hardware Support HP 5-year Next Business Day Call to Repair with Disk Media Retention Color LaserJet M855 Hardware Support HP 5-year Next Business Day Call to Repair with Disk Media Retention Color LaserJet M855 Hardware Support HP 5-year Next Business Day Call to Repair with Disk Media Retention Color LaserJet M855 Hardware Support HP 5-year Next Business Day Call to Repair with Disk Media Retention Color LaserJet M855 Hardware Support	UOLW2A UOLW3A UOLW3E UOLW4E UOLX2E UOLX2E UOLX4E UOLX8E UOLX9E UOLX9E UOLY0E UOLY0E
HP 1-year Post Warranty Next Business Day Color LaserJet M855 Hardware Support HP 2-year Post Warranty Next Business Day Color LaserJet M855 Hardware Support HP 2-year Post Warranty Next Business Day Color LaserJet M855 Hardware Support	UOLY4PE UOLY5PE

Paper

hp.com/apac/paper

Software

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

Technical specifications

	HP Color LaserJet Enterprise M855dn Printer (A2W77A)	HP Color LaserJet Enterprise M855xh Printer (A2W78A)	
Function	Print only	Print only	
Print			
Duplex print options	Automatic (standard)	Automatic (standard)	
Speed ¹	Black (A4): Up to 46 ppm; Colour (A4): Up to 46 ppm	Black (A4): Up to 46 ppm; Colour (A4): Up to 46 ppm	
First page out	Black (ready): As fast as 11 sec Colour (ready): As fast as 11 sec	Black (ready): As fast as 11 sec Colour (ready): As fast as 11 sec	
Technology	Laser	Laser	
Resolution	Black (best): Up to 1200 x 1200 dpi Colour (best): Up to 1200 x 1200 dpi	Black (best): Up to 1200 x 1200 dpi Colour (best): Up to 1200 x 1200 dpi	
Print resolution technologies	HP ImageRet 4800; HP FastRes 1200 (1200 dpi quality), 600 × 600 dpi; HP ProRes 1200 (1200 × 1200 dpi); HP on paper calibration Technology, Pantone® Calibrated	HP ImageRet 4800; HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); HP on paper calibration Technology, Pantone® Calibrated	
Print cartridges number	4 (1 each Cyan, Magenta, Yellow, Black)	4 (1 each Cyan, Magenta, Yellow, Black)	
Mobile printing capability ²	HP ePrint; Apple AirPrint™; Mobile Apps; HP Wireless Direct printing (optional)	HP ePrint; Apple AirPrint™; Mobile Apps; HP Wireless Direct printing (optional)	
Standard print languages	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation	
Printer management	HP Web Jetadmin; HP Utility (Mac)	HP Web Jetadmin; HP Utility (Mac)	
Printer smart software features	HP ePrint, Apple AirPrint™, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy Color, Pantone® Calibrated, print preview, duplex, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, job separator, staple, offset, booklet making, hole punch, HP on paper calibration Technology	HP ePrint, Apple AirPrint™, Open Extensibility Platforr FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy Color, Pantone® Calibrated, print preview, duplex, print mult pages per sheet (2, 4, 6, 9, 16), collation, watermarks store print jobs, job separator, staple, offset, booklet making, hole punch, HP on paper calibration Technolo	
onnectivity			
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T Network; 1 Hardware Integration Pocket (HIP); 2 Internal USB Host	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T Network; 1 Hardware Integration Pocket (HIP); 2 Internal USB Host	
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional); Touch to Print and Wireless Direct (optional). Please note: HP Jetdirect 2800W (J8029A) and HP Jetdirect 2700W (J8026A) accessories cannot be installed at the same time	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional); Touch to Print and Wireless Direct (optional). Please note: HP Jetdirect 2800W (J8029A) and HP Jetdirect 2700W (J8026A) accessories cannot be installed at the same time	
Network ready	Standard (built-in Gigabit Ethernet)	Standard (built-in Gigabit Ethernet)	
External I O Ports	1 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third party connections); 1 Accessory (for Kensington Lock); 1 Ethernet	1 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third party connections); 1 Jetlink; 1 Accessory (for Kensington Lock); 1 Ethernet	
Wireless capability	Optional, enabled with purchase of hardware accessory	Optional, enabled with purchase of hardware accessory	
lemory	1 GB	1 GB	
rocessor speed	800 MHz	800 MHz	
Duty cycle ³	Up to 175,000 pages	Up to 175,000 pages	
lecommended monthly bage volume	Up to 4,000 to 25,000 pages	Up to 4,000 to 25,000 pages	

Technical specifications

Paper handling		
Input	100-sheet main paper tray, 500-sheet input tray; Optional: 1 × 500-sheet feeder with cabinet, 3 × 500-sheet feeder, High Capacity Input with 1 × 1,500-sheet tray and 1 × 2,000-sheet feeder	100-sheet main paper tray, 4 x 500-sheet input tray
Output	500-sheet face-down bin	500-sheet face-down bin; Optional: Stapler/Stacker, Stapler/Stacker with 2/4 Hole Punch, Booklet Maker, Booklet Maker with 2/4 Hole Punch, Booklet Maker with 2/3 Hole Punch
Media type	Cut sheet paper, labels, transparencies, glossy paper, glossy film, photo media, tough paper, envelopes	Cut sheet paper, labels, transparencies, glossy paper, glossy film, photo media, tough paper, envelopes
Media weight	60 to 220 g/m ²	60 to 220 g/m²
Supported media sizes	A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); RA3, SRA3, A6, B6 (JIS), Envelopes: B5, C5, C6, DL	A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, 8K (270 × 390), 8K (260 × 368), 8K (273 × 394), 16K (195 × 270), 16K (184 × 260), 16K (197 × 273); RA3, SRA3, A6, B6 (JIS), Envelopes: B5, C5, C6, DL
Dimensions (W x D x H)	704 x 635 x 580 mm	704 x 635 x 1063 mm
Veight	86.28 kg	122.47 kg
What's in the box	HP Color LaserJet Printer; Black, Cyan, Magenta, and Yellow HP Color LaserJet Process Cartridges; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges; CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in)	HP Color LaserJet Printer; Black, Cyan, Magenta, and Yellow HP Color LaserJet Process Cartridges; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges; CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Encrypted Hard Drive; 3 x 500-sheet paper input
Varranty features	One-year onsite warranty	One-year onsite warranty
Compatible operating systems	Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: AirPrint™ (<u>support.apple.com/kb/ht4356</u>); Android (<u>android.com</u>); Citrix and Windows Terminal Services (<u>hp.com/go/upd</u>); HP ePrint Software Driver (<u>hp.com/go/eprintsoftware</u>); Linux (<u>hplip.net</u>); Novell (<u>novell.com/iprint</u>); SAP device types (<u>hp.com/go/sap/drivers</u>); SAP Print (<u>hp.com/go/sap/print</u>); UNIX (<u>hp.com/go/unix</u>); UNIX JetDirect (<u>hp.com/go/jetdirectunix_software</u>)	Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: AirPrint™ (support.apple.com/kb/ht4356); Android (android.com); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX (hp.com/go/unix); UNIX JetDirect (hp.com/go/jetdirectunix_software)
Minimum system requirements	 PC: Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008; Windows Server 2012 (64-bit); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Operating system compatible hardware system requirements see <u>microsoft.com</u>) Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Operating system compatible hardware system requirements see <u>apple.com</u>) 	 PC: Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008, Windows Server 2008 R2 (64 bit); Windows Server 2012 (64-bit); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Operating system compatible hardware system requirements see microsoft.com) Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Operating system compatible hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Operating system compatible hardware system requirements see apple.com)

Technical specifications

Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <u>hp.com/go/laserjetfonts</u>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <u>hp.com/go/laserjetfonts</u>
Control panel	10.9 cm (4.3-in) colour LCD with touchscreen; rotating (adjustable angle) display; illuminated Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	10.9 cm (4.3-in) colour LCD with touchscreen; rotating (adjustable angle) display; illuminated Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket
Power	Power supply type: Built-in power supply Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 10.5 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 5.5 A (Not dual voltage, power supply varies by part number with # Option code identifier) Power consumption: ⁴ 1100 watts (Printing), 60 watts (Ready), 7.0 watts (Sleep), 1 watt (Auto-Off), 0.4 watts (Off)	Power supply type: Built-in power supply Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 10.5 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 5.5 A (Not dual voltage, power supply varies by part number with # Option code identifier) Power consumption: ⁶ 1100 watts (Printing), 60 watts (Ready), 7.0 watts (Sleep), 1 watt (Auto-Off), 0.4 watts (Off)
Software included	HP PCL 6 Discrete Printer Driver; Mac SW Link to Web (Mac Installer); Windows Installer	HP PCL 6 Discrete Printer Driver; Mac SW Link to Web (Mac Installer); Windows Installer
Acoustic ⁵	Acoustic power emissions: 7.1 B(A) Acoustic power emissions (ready): 4.0 B(A) Acoustic pressure emissions bystander (active, printing): 55 dB(A) Acoustic pressure emissions bystander (ready): 24 dB(A)	Acoustic power emissions: 7.1 B(A) Acoustic power emissions (ready): 4.0 B(A) Acoustic pressure emissions bystander (active, printing): 55 dB(A) Acoustic pressure emissions bystander (ready): 24 dB(A)
Operating environment	Operating humidity range: 10 to 80% RH Non-operating humidity range: 10 to 90% RH Recommended operating humidity range: 10 to 80% RH Operating temperature range: 15 to 30° C (59 to 86° F) Recommended operating temperature range: 15 to 30° C (59 to 86° F) Storage temperature range: 0 to 35° C (32 to 95° F)	Operating humidity range: 10 to 80% RH Non-operating humidity range: 10 to 90% RH Recommended operating humidity range: 10 to 80% RH Operating temperature range: 15 to 30° C (59 to 86° F) Recommended operating temperature range: 15 to 30° C (59 to 86° F) Storage temperature range: 0 to 35° C (32 to 95° F)
Security management	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPSec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Secure Erase, SSL/TLS, Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions; Security Management: Compatible with HP Imaging & Printing Security Center	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPSec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Secure Erase, SSL/TLS, Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions; Security Management: Compatible with HP Imaging & Printing Security Center
Electromagnetic emission standard	CISPR 22:2008/EN 55022:2010 (Class A); EN 61000-3-2: 2006+A1:2009 +A2:2009; EN 61000-3-3: 2008; EN 55024:2010; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 5 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries	CISPR 22:2008/EN 55022:2010 (Class A); EN 61000-3-2: 2006+A1:2009 +A2:2009; EN 61000-3-3: 2008; EN 55024:2010; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 5 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries
Safety approvals and requirements	IEC 60950-1:2005 +A1; EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/LED Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/CUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries	IEC 60950-1:2005 +A1; EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/LED Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/CUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries













Description

HP Color LaserJet Enterprise M855dn Printer HP Color LaserJet Enterprise M855xh Printer

Supported paper

Asia Pacific: hp.com/apac/printingsupplies

Solutions

Number

A2W77A

A2W78A

For more solutions information, please visit hp.com/go/gsc

Hewlett-Packard offices

China (010) 656 Hong Kong (852) 355 India (80) 2612 Indonesia (62-21) 5 Japan (03) 5626 Korea (02) 2195 Malaysia (603) 233 New Zealand (09) 918 Philippines (632) 888 Singapore (65) 6275 Taiwan (02) 8722 Thailand (662) 353 Vietnam (848) 382	59 7777 2 9000 799 1088 3 1101 9 0114 32 3333 9555 3 5900 5 3888 2 9000 3 9500	hp.com.cn hp.com.hk hp.com/in hp.com/id hp.com/jp hp.co.kr hp.con.ry hp.co.nz hp.com.yp hp.com.sg hp.com.tw hp.com/th hp.com/th hp.com/vn
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

For the following countries, please fax your queries to: (65) 6275 6707 Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Srilanka For more information, please visit us at hp.com/apac/homeandoffice

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintcenter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries..

³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

⁵ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 46 ppm.

For more information visit our website at hp.com

© Copyright 2013 Hewlett-Packard Development Company, I.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. Pantone, Inc. trademark is the property of Pantone, Inc.

