



Work smarter and faster

Professional A3 Inkjet Multi Function

MFC-J6740DW











Exclusively available from



Ideal choice for business

Work smarter and faster with the Brother MFC-J6740DW, the complete A3 Multi-Function Inkjet that's made for business. By combining the fastest in class first page out time of 4.4 secs¹⁰ and print speeds of up to 28 ppm, it provides a fast, smooth, consistent user experience and delivers professional quality colour documents. Designed for modern hybrid workplaces, with scan features including scan to email⁸, cloud storage⁸ and Optical Character Recognition (OCR), it provides dual paper trays which handle paper from A5 through to A3. The MFC-J6740DW is perfect for the digitisation and printing needs of every business.

MFC-J6740DW



Key features:

Brother Mobile Connect







- Up to 28 ppm print speed⁹
- Automatic 2-sided (duplex) A3 print
- A3 scan, copy and fax
- 6.8cm colour touchscreen
- · Wired and wireless connectivity
- 2 x 250 sheet paper trays up to A3²
- 1 sheet manual feed slot up to A3²
- 50 sheet A3 Automatic Document Feeder (ADF)²
- High-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour¹



Made for business

Introducing new 'MaxiDrive' Inkjet technology that provides a premium long-life print head, the fastest in class first page out time of 4.4 secs¹⁰, print speeds of up to 28 ppm and single pass 2-sided (duplex) scanning. Combined with dual paper trays which support up to A3, it provides a fast, smooth and consistent user experience that every business needs



Large page yields and low-cost printing

When it's time to replace your ink supply, keep running costs low with high-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour¹



Print with confidence

Help take the guesswork out of when to replace ink with Page Gauge technology - a visual, numerical way to know the amount of ink you've used and the amount of ink you have remaining



Brother at your side support

Free Australian-based support for the lifetime of your Brother device



Designed for mobile

Experience the user-friendly Brother Mobile Connect app, designed to connect to your Brother device so printing, scanning and managing documents on your smartphone is at your fingertips



Intuitive one-touch cloud connect

Print-from and scan-to popular cloud apps⁸ directly including Dropbox, Google Drive™, OneDrive and more. Help save time by creating custom shortcuts directly on the 6.8cm LCD touchscreen for your most used features



Simple to connect your way

Versatile connectivity options tailored to your home or small office with dual band (2.4Ghz/5Ghz) Wireless Network support, Ethernet, Wi-Fi Direct or connect locally to a single computer via USB interface



General Technology	Inkjet	Mobile and Web Connectivity	
Memory	256MB	Brother Mobile Connect ⁵	Print from, scan to, send faxes, preview received
LCD/Type & Size	6.8cm Colour Touchscreen LCD	(Android)	faxes, preview copies and check the machine status
Local Interface	Hi-Speed USB 2.0		from an Android device
Wired Network	10Base-T/100Base-TX Ethernet	Brother Mobile Connect ⁵ (iPad / iPhone)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status
Wireless Network	Dual Band 2.4Ghz and 5Ghz	(ii dd / ii fiolio)	from an iPad / iPhone
		Apple AirPrint	Print from and scan to most common file types from
USB Host	Print from and scan to a USB stick		any AirPrint enabled application
Wi-Fi Direct	Yes	Brother Print Service Plugin ⁵	Print from an Android devices without a dedicated App.
Printer		Mopria ^{™ 5}	Print most common file types from Mopria™
Print Speed (A4)9	1-sided: 28 ppm Mono and Colour		supported Android devices
Print (A3)	2-sided (duplex): 22 ppm Mono and Colour Yes	Brother Apps ⁸	Print from Creative Center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax Forward to
Print Speed FPOT ¹⁰	4.6 seconds Colour, 4.4 seconds Mono		Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy Scan to E-mail
Quiet Mode		Web Connect ⁸	Print from and scan to without using a PC on Box,
	Mode to reduce printing noise	Trop connect	Dropbox, Evernote, OneDrive, Google Drive™
Resolution	up to 1200 x 4800 dpi (Horizontal and Vertical)		OneNote
Print Languages	GDI		
		Сору	
Printer Functions		Copy Speed ¹¹	Simplex: 25/16 ipm (Mono/Colour: based on ISO/IEC 24735)
N-up Printing ³	Reduce up to 2, 4, 9 or 16 pages into just one		6/5sec (Colour/Mono) (based on ISO/IEC 24735)
Poster Printing	Enlarge a single page into a poster using 4 or 9	Copy Speed FCOT ¹¹	Annex D
	pages		Mono: (Print) Max. 1200x4800 dpi, (Scan) Max.
Watermark Printing ⁴	Watermark your documents with predefined text or with your own user-defined messages	Resolution	600x600 dpi
ID Printing ⁴	Add identification to your printed documents (date and time, short custom message or PC username)		Colour: (Print) Max. 1200x4800 dpi, (Scan) Max. 600x600 dpi (FB)
Booklet Printing ⁴	Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print	Copier Multi Stack/Sort	Makes up to 999 copies of each page / Stacks or Sorts
Print Profiles ³	Store your favourite driver settings as profiles to easily recall them	Enlargement/Reduction Ratio	Reduce or Increase document sizes from 25% to 400% in 1% increments
	rocal distri	N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet
Printer Driver		2 in 1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet
Windows®	Windows [®] 11, Windows [®] 10 (32 and 64 bit editions), Windows [®] 8 (32 and 64 bit editions), Windows [®] 7 (32	Grey Scale	256 shades of grey (8 bit for each colour)
	and 64 bit editions), Windows® Server 2019, 2016,	Receipt Copying	Produces clearer copies of receipts
	2012, 2012R2 and 2008R2, Windows® Server 2008 (32 and 64 bit editions)	Enlarge Text Copy ⁸	Makes reading copied documents easier if the size of the text on the original document is small
Mac OS	macOS 10.14.6 - 10.15, macOS 11-12		ADF: Yes
Linux	CUPS, LPD/LPRng (i686 and x86_64)	Auto Deskew	FB: Yes
Paper Handling		Fit to Page	Yes
Paper Input ²	Standard Tray - 250 sheets	Scanner	
The second second	Lower Tray - 250 sheets	Colour and Mono Scanning	Yes
	Manual Feed Slot - 1 Sheet		
D	Auto Document Feeder (ADF) - 50 Sheets	Scan Speed ¹²	Simplex: A4 portrait: 25ipm/25ipm
Paper Output ²	100 Sheets A4 50 Sheets A3		A4 landscape: 19ipm/19ipm
Envelope Printing	Yes from manual feed slot and standard tray		A3: 13ipm/13ipm
Media Sizes	Upper Tray Landscape: A4, LTR, EXE	Scan Resolution	From Glass: 1200x2400dpi (mono) / 1200x1200dpi
	Upper Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch),		(colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour)
	Indexcard (127x203mm/5x8inch), Photo-L	Scanner Type	CIS
	(89x127mm/3.5x5inch), Photo-2L	**	Yes
	(127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal	Colour and Mono Scanning	
	Lower Tray Landscape: A4, LTR	Interpolated Scan Resolution	Up to 19200 x 19200dpi
	Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal	Colour Depth	48 bit colour Processing (Input) 24 bit colour Processing (Output)
	Manual Feed Slot -	Grey Scale	16 bit colour Processing (Input)
	Landscape: A4, LTR, EXE		8 bit colour Processing (Output)
	Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard		
	(127x203mm/5x8inch), Photo-L		
	(89x127mm/3.5x5inch), Photo-2L		
	(127x178mm/5x7inch), C5, Com-10, DL Envelope,		
	Monarch, Mexico Legal, India Legal Scanner Glass - Up to 295mm (W) x 430mm (L)		
	Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio,		
	A4, LTR, EXE, A5, Mexico Legal, India Legal		
Media Type and Weights	Standard Tray - Plain, Inkjet, Glossy, Recycled		
	64-220g/m5		
	Lower Tray - Plain, Recycled 64-120g/m5 Manual Feed Slot - Plain, Inkjet, Glossy, Recycled		
	64-220g/m2 (260g/m2 with Brother BP71 glossy		
	paper only)		
	Auto 2-Sided (dupley) Print - Plain Recycled		
	Auto 2-Sided (duplex) Print - Plain, Recycled 64-120g/m5		

Scanner Functions		
Scan to/F-mail Server	Scan and share documents via e-mail server*	
	(Contact Brother to Install)	
Scan to OCR	Scan documents directly into your word processing application for instant editing	
Scan to Image	Scan into your preferred image editing software	
Scan to File	Scan to a file on your computer	
Scan to Network	Scan documents to a nominated folder on your network without using a Windows PC	
Scan Profile ³	Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings	
Scan To Microsoft Office	Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx) for Microsoft Office	
Scan to SharePoint ⁴	Scan documents directly into SharePoint (On-premise)	
Scan to Searchable PDF ⁷	Scan documents to searchable PDF files	
Auto Deskew³	Yes	
Base Colour Removal ³	Yes	
Scanner Drivers		
Scanner Compatibility	Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit) macOS 10.14.6 - 10.15, macOS 11-12 ³ Linux Sane	
Fax		
FAX colour Type	Mono/colour	
Fax Modem	33,600(Super G3)	
PC-Fax Send ^{3&8} and Receive ^{4&8}	Send and Receive faxes directly from your PC	
Memory Transmission	Up to 150 pages (ITU-T Test Chart, Standard	
Out of Paper Reception	Resolution, JBIG) Up to 150 pages (ITU-T Test Chart, Standard	
Error Correction Mode (ECM)	Resolution, JBIG) Detect line errors during fax transmission and resend	
End confection wode (Edw)	the page(s) of the document that had an error (recipient machines must share this feature for it to work)	
Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet	
Broadcasting	Send the same fax message up to 250 locations	
Grey Scale	256 shades (8 bit) of grey are available for faxing	
Fleet Management		
Unattended Installer ⁴	Ability to centrally deploy and customise our drivers	
MSI Installer ⁴	and software Modular installers that can be distributed through	
BRAdmin ⁴⁸⁵	On-premise Active Directory® LAN/WAN management	
Embedded Web Server	software Web based print management software embedded onto the device	
Driver Deployment Wizard ⁴⁸⁵	Easily create print drivers for hassle free deployment	
	over your network	
Software	2116	
Brother iPrint&Scan Desktop 385	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC	
Security and Network		
Wired Network	10Base-T/100Base-TX	
Wired Network Security	APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec	
Wireless Network	2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)	
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) "Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec	
Wi-Fi Direct™	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)	
Wireless Setup Support	Wi-Fi Protected Setup (WPS)	

Wireless Applications	Vertical Pairing	
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client ,FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server	
IPv6	NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server	
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)	
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing	
E-mail Reports	Receive usage reports on a regular basis via e-mail	
Setting Lock	Yes (B&W only/not colour)	
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users	
Supplies		
Inbox (pages)	BK: 550, C: 550, M: 550, Y: 550	
Standard-Yield Cartridges (pages)	LC-432BK: 550, LC-432C: 550, LC-432M: 550, LC-432Y: 550	
High-Yield Cartridges (pages)	LC-432BK XL: 3000, LC-432C XL: 1500, LC-432M XL: 1500, LC-432Y XL: 1500	
Dimensions and Weight		
Product Dimensions	575 W x 477 D x 374.5mm H - 23.0kg	
Recommended Monthly Print Volume		
Recommended Monthly Print Volume ⁶	250 to 2,500 pages	
Environment		
Power Source	AC 220-240V 50/60Hz	
Power Consumption	Copying: 29W, Ready: 5.0W, Sleep: 0.9W, Off: 0.03W	
Sound Pressure Level (Operating)	50dB(A) (Approx.)	
Ink Save Mode	This reduces the ink usage and helps to reduce the	
	total cost of printer ownership	

- Approx. declared yield value in accordance with ISO/IEC 24711 Capacity calculated with 80g/m² paper Windows and macOS only Windows only
- 2 3 4
- 5 6
 - windows only
 Optional download
 Maximum number of printed pages per month can be used to compare designed durability between like Brother products
 Requires Brother Software

- Must be web connected
 Print Speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- FPOT (First Print Out Time) based on ISO/IEC 24735
 Copy Speeds ESAT based on ISO/IEC 24735
 Scan Speeds based on ISO/IEC 17991
- 10 11 12

For warranty terms, please visit: www.brother.com.au/en/contents/standardwarrantyterms









Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

