



# Professional Compact Colour LED All-in-One Printer

**Compact Design, Expertly Engineered** 

MFC-L8390CDW



www.brother.com.au

## Professional Compact Colour LED All-in-One Printer

Combining professional performance with fast print speeds, minimal maintenance, and long-lasting supplies.

The compact, whisper-quiet MFC-L8390CDW has been expertly engineered to meet the needs of your office with ease.

## MFC-L8390CDW

## Key features:

- Fast print speeds of up to 30 pages per minute<sup>9</sup>
- Large paper capacity of 250 sheets, plus expandable up to 500 sheets with additional optional trays<sup>6</sup>
- Automatic 2-sided (duplex) printing and scanning
- 50 sheet 2-sided (duplex) Auto Document Feeder (ADF)<sup>6</sup>
- Easy to use 8.8cm colour LCD touchscreen



- Gigabit ethernet, 2.4GHz/5GHz Wi-Fi and USB 2.0 connectivity
- NFC for secure authentication
- Print or scan directly from desktop, USB or mobile app
- 512MB internal memory
- Up to 2,600 black and 1,400 colour pages in-box toners<sup>11</sup>
- Super high-yield replacement toners available, up to 4,500 black and 4,000 colour pages<sup>11</sup>



#### **Compact and expertly engineered**

Designed by experts, our most compact, professional colour laser printer delivers high-quality outputs every time, allowing you to make the most of your office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access and the ability to add an optional paper tray for additional flexibility, this device has been developed for high print volume to meet the needs of a busy office.



#### **Quiet without compromise**

With its streamlined design, the MFC-L8390CDW is engineered to print quietly whilst delivering speeds up to 25% faster than the previous generation, so you can print continuously without distraction and focus on your work.



#### **Solutions ready**

Automate workflows and improve business processes and security with print management solutions. A suite of document management, security and workflow solutions can be added to the MFC-L8390CDW to provide additional professional features to further improve your business processes.



#### **Seamless integration**

As a Brother customer, you'll have access to a wide choice of leading software vendors, including PaperCut, Kofax and YSoft, to create tailored solutions for your specific requirements that ensure your MFC-L8390CDW works even harder to meet your needs.



#### Make printing easy with Brother MPS

Managed Print Services (MPS) supports you to get the best out of your devices - that's why the MFC-L8390CDW has been designed with MPS in mind. Whatever your printing needs, we'll be at your side to find the solution that simplifies printer admin, saves time, keeps costs down, and helps you stay productive, by partnering with our national MPS partner network to deliver a service that's fit for your business.

#### Secure by design



To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The MFC-L8390CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.

## $\langle \hat{} \rangle$

#### Designed to go the distance

Built to perform for longer, the MFC-L8390CDW has been designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.



#### Brother at your side support

Wherever you are in Australia, Brother offers <u>free</u> <u>product support</u> for the lifetime of your product.

General		Security	
Engine	Colour LED	Wired Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP),
Carton Contents	Printer, Quick Setup Guide, Users Guide, CD-ROM (Windows), Power Cord, CMYK Toner (TN258C/ TN258W/TN258Y/TN258BK) Up to 1,000 pages <sup>11</sup>		SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP- FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
	The solution in the solution of the solution o	Wireless Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP),
Display			SNMP v3 Authentication Protocol: 802.1x (EAP-FAST, PEAP,
LCD Display	8.8cm Colour LCD (7.3 x 6.9cm Touchscreen)		EAP-TLS, EAP-TTLS), Kerberos, IPsec
Shortcuts	48	Wireless Security Protocols	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports WPA2-PSK (AES) only
Printer		LDAP	Yes
Standard Memory	512MB	Active Directory Authentication	Yes
Print Speed <sup>9</sup>	Up to 30 ppm Mono / Up to 30 ppm Colour	IPv4-Filter	Yes
2 Sided Print Speed <sup>9</sup>	Up to 12/12ipm or 6/6ppm (Mono/Colour, based on ISO/IEC 24734)	Secure Print	Windows/Mac
2 Sided Print	Yes (Automatic)	Secure Function Lock	Version 3, 100 users
Emulation	PCL6, BR-Script3		
Printer Resolution	600 x 600 dpi, 2400 dpi (2400 x 600) quality	Network Management Util	ities
First Print Out Time <sup>10</sup>	Less than 12.5 secs Mono/Colour (From Ready mode	Network Management	Windows: BRAdmin Light, Web Base Management,
nist mit out mite	and standard tray), Less than 30 secs Mono/Colour (From Sleep mode and standard tray)	Network management	BRAdmin Professional, Network Remote Setup Mac: Web Base Management, Network Remote Setup
Warm Up Time	Less than 24 sec from Sleep, Less than 28 sec from	Web Deeed Menerouset	Linux: Web Base Management
Resident Barcodes	Power On Code20, Interlay and 2 of 5, EIM/US PoetNat), Poet	Web Based Management BRAdmin Professional <sup>1</sup>	Yes For LAN / WAN management using Windows® PC
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93,	Email Alerts	E-mail Notification and E-mail Reports
Resident Fonts	GS1Databar, MSI	Mobile/Web Printing	
Resident Ponts	<b>PCL:</b> 73 scalable fonts, 12 bitmap fonts, 16 bar codes <b>PS:</b> 66 scalable fonts	Mobile Connect <sup>1</sup>	Use Brother Mobile Connect to print as well as manage
Quiet Mode	A mode to reduce the printing noise by reducing the		your machine and customise its features.
Recommended Monthly Print Volume <sup>8</sup>	print speed 300 to 4,000 pages	Web Connect <sup>7</sup>	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote Scan To: Evernote Print from: Creative Centre
Direct Print/Scan Feature		AirPrint	Print most common file types from any Apple AirPrint
Digital-Media Type	USB Flash Memory	Manrial	enabled application
Digital-Media Spec	USB Flash Memory (FAT, FAT32, exFAT)	Mopria <sup>1</sup>	Print most common file types from Mopria™ supported Android devices
Digital-Media Format	Print: PDF version 1.7, JPEG, Exif+JPEG, PRN(created	Google ChromeOS	Print, Scan
Direct USB	by own printer driver), TIFF(scanned by Brother model), XPS version 1.0, <b>Scan to USB:</b> JPEG/PDF Print/Scan	Android Print Service Plugin <sup>1</sup>	Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi or Wired network
Connectivity		Brother Apps <sup>7</sup>	Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and		
USB Interface	IEEE 802.11 b/g/n Wireless		
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet		
Wireless Interface	2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n	Paper Handling <sup>6</sup>	
Wi-Fi Direct	Yes	Standard Paper Capacity	Up to 250 Sheets
USB Host	Direct Print/Scan, External IC Card Reader (CH-1000)	Multi-Purpose Tray Capacity	Up to 30 sheets / 3 Envelopes
NFC	Card Reader / Mobile iPrint&Scan / Link to Solutions Centre / NFC Shortcut	Envelopes Input	Up to 3 envelopes face down (MP tray only) output via rear
Wireless Mode	2.4GHz IEEE 802.11/b/g/n (Infrastructure Mode mode), 5GHz IEEE 802.11/a/n (Infrastructure Mode mode)	Output Paper Capacity	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)	ADF	Up to 50 sheets
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS,	Media Weights Paper Tray	60 - 163 gsm
	LLMNR responder, LPR/LPD, Custom Raw Port/	Media Weights Paper Tray (Option)	60 - 105 gsm
	Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/	Media Weights Manual Feed Slot	60 - 163 gsm
	v3, HTTP/HTTPS server, TFTP client and server, ICMP,	Media Weights ADF	60 - 105 gsm
	Web Services (Print/Scan), SNTP Client, LDAP, IMAP4, Syslog	Media Weights Duplex	60 - 105 gsm
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS,	Media Size Paper Tray	A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5(JIS), B5(ISO), B6(JIS), A4 Short(270mm), Folio, 16K(195x270mm)
	POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog	Media Size Paper Tray (Option)	A4, Letter, B5(JIS), A5, Executive, Legal, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K(195x270mm)
Digital Copier		Media Size Manual Feed Slot	Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch
Copier Speed <sup>9</sup>	Up to 30 cpm Mono / Up to 30 cpm Colour	Media Size ADF	Width 105 to 215.9 mm, Length 147.3 to 355.6 mm
		Media Size Duplex	A4
	LESS IIIAIT 10.0/14.0 SECS IVIOLO/COOLOID IIIOID BEADV	Media Types Paper Tray	Plain Paper, Thin Paper, Thick Paper, Recycled Paper
First Copy Out Time	Less than 13.5/14.5 secs (Mono/Colour) from Ready mode, Less than 30/30 secs (Mono/Colour) from Sleep		
First Copy Out Time	mode, Less than 30/30 secs (Mono/Colour) from Sleep mode	Media Types Paper Tray (Option)	Plain Paper, Thin Paper, Recycled Paper
First Copy Out Time 2 Sided Copy	mode, Less than 30/30 secs (Mono/Colour) from Sleep mode Duplex Scan to Duplex Print		Plain Paper, Thin Paper, Recycled Paper Plain Paper, Thin Paper, Thick Paper, Recycled Paper,
First Copy Out Time 2 Sided Copy Copier Resolution	mode, Less than 30/30 secs (Mono/Colour) from Sleep mode Duplex Scan to Duplex Print 600 x 600 dpi	Media Types Paper Tray (Option)	Plain Paper, Thin Paper, Recycled Paper
First Copy Out Time 2 Sided Copy Copier Resolution Reduction-Enlargement Ratio	mode, Less than 30/30 secs (Mono/Colour) from Sleep mode Duplex Scan to Duplex Print 600 x 600 dpi 25 - 400 percent in 1 percent increments	Media Types Paper Tray (Option)	Plain Paper, Thin Paper, Recycled Paper Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick,
First Copy Out Time 2 Sided Copy Copier Resolution	mode, Less than 30/30 secs (Mono/Colour) from Sleep mode Duplex Scan to Duplex Print 600 x 600 dpi	Media Types Paper Tray (Option) Media Types Manual Feed Slot	Plain Paper, Thin Paper, Recycled Paper Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick, Glossy Paper

Fax		Options			
Modem Speed	33,600bps (Fax)	Optional Warranty <sup>14</sup>	1 or 2 or 3 Years On-Site		
2 Sided Fax	Send/Receive	Optional Paper Tray	250 sheets (LT-310CL) x 1		
ITU-T Group compatibility	Super G3	optional raper may			
Telstra Duet Compatible	Yes				
Speed Dials	300 locations				
ECM	Yes				
Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)	Environment			
Broadcasting	Up to 350 locations	Power Consumption	Peak: Average 960W, Ready: Average 70W,		
Automatic Reduction	Yes	· · · · · · · · · · · · · · · · · · ·	Sleep: 10W, Deep Sleep: 0.65W, Power Off: 0.04W		
Fax Forwarding	To Fax number or Email Address	Sleep Mode	0-50 min		
PC Fax	Send/Receive from Windows, Send only from MAC / Linux (Network / USB)	Toner Save	This reduces the toner usage and helps to reduce the		
Internet Fax	Yes - T37 protocol		total cost of printer ownership		
	ies - 137 protocol	Power Save	This enables the printer to consume less energy when not in use		
Digital Scanner			not in use		
Scanner Colour/Mono	Colour				
Scanner Colour Depth	48 bit input / 24 bit output colour				
Scanning Technology	Dual CIS				
Scanner Speed <sup>12</sup>	Simplex: Max 1.84/2.39 Sec - 27/21 ipm, Duplex: Max 1.81/3.06 Sec - 56/32 ipm, In accordance with ISO/	Ormonieklas			
	IEC17991 (Mono/Colour @200dpi A4)	Consumables			
Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi, From ADF: Up to	Consumables <sup>11</sup>	Belt Unit: Up to 60,000 pages (3-page per job) (BU229CL)		
	600 x 600 dpi		Waste Toner Box: Up to 50,000 pages (WT229CL)		
Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi		Drum Unit: Up to 20,000 pages (1-page per job)		
2 Sided Scan	Single Pass (Up to A4/LTR from ADF)		(DR258CL)		
Scanning Area	Flatbed: 210(W) x 291(L)mm	Inbox Consumables <sup>11</sup>	Colour Toner Yield Up to 1,400 pages <sup>11</sup>		
Scanner Grey Scale	256 levels	moor consumatics	Black Toner Yield Up to 2,600 pages <sup>11</sup>		
Scan to Email Client	Yes				
Scan to Email Server	Yes	Standard Yield Toner <sup>11</sup>	CMYK Toner Standard Yield (TN258C/TN258M/		
Scan to OCR	Yes		TN258Y/TN258BK) Up to 1,000 pages <sup>11</sup>		
Scan to Image	Yes	High Yield Toner <sup>11</sup>	Black Toner High Yield (TN258XLBK) Up to 3,000 pages		
Scan to File	Yes		Colour Toner High Yield (TN258XLC/TN258XLM/		
Scan to FTP	FTP / SFTP		TN258XLY) Up to 2,300 pages		
Scan to Media	USB memory drive	Super High Yield Toner <sup>11</sup>	Black Toner Super High Yield (TN259BK) Up to		
Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web		4,500 pages <sup>11</sup> Colour Toner Super High Yield (TN259C/TN259M/		
	Connect		TN259Y) Up to 4,000 pages <sup>11</sup>		
Scan to Network Folder	Windows only				
Scan To Cloud	Yes - See Web Connect				
Network Scan	Windows/Mac				
Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 11-133				
	Linux Sane	Weights & Measurements			
Twain Compliant	Windows: TWAIN Windows 11 or WIA for Windows10 Linux: SANE	Size	410(W) x 462(D) x 401(H)mm		
Software		Weight	17.6 Kg without consumables		
N-up Printing⁵	Windows/Mac		20.2 Kg with consumables		
Poster Printing <sup>4</sup>	Windows only	Size With Carton	497(W) x 583(D) x 533(H)mm		
Header and Footer Printing <sup>4</sup>	Windows only	Weight With Carton	24.9 Kg without consumables		
Watermark Printing <sup>4</sup>	Windows only				
Booklet Printing	Windows only				
Kofax	AutoStore, ControlSuite, Equitrac				
Brother Solutions Interface					
Mass Deployment Tool	Yes Windows only	Others			
	,	Noise Level	Sound Pressure Level: (Printing) Less than 48 dBA,		
Driver Deployment Wizard	Windows only		(Ready) InAudible		
Light Solutions	ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility,		Sound Power Level: (Printing) Less than 6.62 B(A), (Ready) InAudible		
	CustomUI (Apply for Activation Code from Brother)	TEC Value	0.48 kWh/Week		
iPrint&Scan <sup>1</sup>	Windows/Mac				
Universal Print <sup>7</sup>	Yes				
Download from Brother Solutions ( Apply to activate Via Airprint or iPrint&Scan Windows only Windows/Mac Capacity calculated with 80g/m <sup>2</sup> pi		Works with			
7. Must be connected to the internet	olume is to achieve the best possible performance and printer 734 (www.brother.com/rd/printspeed) on ISO/IEC 17629 ordance with ISO/IEC 19798 991	(	youtube.com/user/BrotherAU/videos		
All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand brother-international-australia/					
	or trademarks of their respective companies.				
Working with you for a better environment At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com					