MB760/MB770 MFP Series



MB760 MFP MB770 MFP MB770f MFP MB770fx MFP



ENERGY STAR® Compliant Superior energy efficiency
Multifunctionality One device takes the place of many
Duplex (2-sided) Printing Saves energy and resources
Deep Sleep Mode Lowers power to save energy (≤2W)
LED Technology Long printhead life, high efficiency





The MB760/MB770 MFP Series from OKI®. Multifunction devices with productivity-enhancing features and outstanding print-and-copy output.

| Highlights: | MB760 | MB770 | MB770f | MB770fx |
|---------------------------|---|---------------------------|---|--|
| • Print Speed | Up to 49 ppm ¹ | Up to 55 ppm ¹ | | |
| • Standard Paper Capacity | 630 sheets | | 1,160 sheets | 2,630 sheets |
| Max Paper Capacity | 3,160 sheets (with optional 530-sheet 2nd paper tray and 2,000-sheet Large Capacity Feeder) | | 1,690 (with optional 530-sheet 2nd paper tray) | 3,160 sheets (with optional 530-sheet 2nd paper tray) |
| • Paper Output | 500-sheet bin | | Upper 500-sheet job offset stacker, lower 100-sheet bin | |
| • Stapler | N/A | 20-sheet off-line stapler | 50-sheet in | nline stapler |

Additional Highlights:

- Feature-rich monochrome print/copy/scan/fax
- 1.3 GHz processor
- First page prints in as fast as 5 seconds1
- 2 GB standard/max memory
- 160 GB secure hard disk drive
- 1 Gigabit Ethernet and High-speed USB connectivity
- USB host port for walk-up printing/scanning
- 100-sheet multi-purpose tray
- Duplex (2-sided) printing/copying
- Up to 1200 x 1200 dpi resolution
- 100-sheet duplexing/reversing automatic document feeder (RADF)
- Easy-to-use 9" Color touch-screen control panel with alphanumeric keypad and function buttons
- smart Extendable Platform for integration with web-based applications
- · Wireless model available as special order
- Optional 2nd, 3rd and 4th 530-sheet paper trays; 2,000-sheet Large Capacity Feeder
- 1-Year On-Site warranty²
- Live, toll-free technical support 24/7/3652

The OKI® MB760/MB770 Mono MFP Series

combines high-quality output and four-in-one functionality with speed, reliability and ease of use—superior value from MFPs that have a footprint small enough to fit easily into your environment.

They're the perfect solution for your company's medium-size workgroups.

Enhance the productivity of your staff -

These MFPs are fast: the MB760 prints and copies at up to 49 pages per minute (ppm); the MB770 Series (MB770, MB770f and MB770fx) print and copy at up to 55 ppm. And all print or copy the first page in as little as 5 seconds.¹

Their duplexing/reversing automatic document feeder (RADF) quickly scans both sides of a document. And, with their robust duty cycles, these durable devices can be relied upon to handle large daily print and copy volumes.

Scan at the machine or from your desk – Turn hardcopy documents into electronic files with multiple options. Scan color or black & white documents in, and send them to your PC, a network folder, a USB stick, or to a list of e-mail addresses.

You can also remotely preview and scan your documents on your PC via the network connection. Insert a USB memory stick into the convenient front port to save scanned documents to or print files directly from the USB stick.

The convenience of E-Filing – Store your digital documents on or transfer them from "boxes" on the MFP's secure hard disk drive. Users have walk-up-and-print or pull-down (to their PCs) access to all documents in the public box, or access via password to documents in private boxes. Passwords can be assigned to specific users or shared within a department.

Full-featured fax – All models have a robust Super G3 fax with Dual Access, T.37 Internet faxing, a 3,000-entry address book, double-sided fax scanning, and the ability to let you send faxes directly from your PC.

They can make your job easier – The MB760/MB770 MFP Series is user friendly: network-ready right out of the box, with an intuitive operator panel that's simple to use: a 9" color touch-screen graphic display, an alphanumeric keypad and function buttons.

Improve your bottom line, take control of your output, and enhance your workflow. Help protect the environment, too.

Improve your bottom line – The MB760/MB770 MFP Series delivers cost-effective operation as well as an exceptional return on your investment. Its outstanding reliability and long-lasting consumables help you control operating costs and improve productivity:

- · Support one device rather than several
- Stock fewer replacement supplies
- Reduce interventions cost-efficient toner cartridges, rated at up to 36,000 pages³

Your investment just keeps looking better and better.

Monitor and control your printing – OKI Print Job Accounting software allows you to restrict printer access to individuals or groups, and to manage printing within defined cost limits. It provides you the ability to report on usage across the network, capturing information on volume, paper size, media type and consumables usage.

It also enables printer monitoring, letting you create job logs to analyze how a device is being used—by user name, applications used, and number of pages printed or copied. The data can help you determine the effectiveness of your existing policies or to develop new ones.

Reduce environmental impact – MB760/MB770 Series MFPs offer a wide range of features to reduce energy consumption, save you money and improve your carbon footprint:

 ENERGY STAR® compliance – their lower power consumption—especially in Deep sleep mode—earn these MFPs the government's recognition for energy efficiency.

- Deep sleep mode reduces power consumption to 2W or less
- Duplex printing reduces paper usage by enabling the user to print on both sides of the sheet
- Toner Save function reduces the amount of toner used when printing draft or internal documents

Expect more support – You can expect total support for your MB760/MB770 Series MFP from your Authorized OKI MFP provider.

If you need technical assistance, you can speak to a live expert based in North America, 24/7/365, by calling toll-free: **800.OKI.DATA** (800.654.3282).²


MB760/MB770 MFP Series and the OKI smart Extendable Platform

OKI's smart Extendable Platform offers demanding users solutions that optimize and simplify document processing and workflow. This flexible architecture allows software developers and OKI Solution Partners to create customized MFP solutions to meet specific business needs.

Users can increase the efficiency of their processes through a host of business applications.

The web interface of the MB760/MB770 MFP Series lets users interact directly with these web-based applications via the touch-screen on the operator panel.

And, as new applications become valuable to your business, they can be added to your MFP's feature sets using embedded OKI smart Extendable Platform technology.



Alphanumeric keypad: enter fax numbers, codes and quantities with a touch



9" touch-screen display: simplifies navigation, enhances used productivity, enables access to web-based applications



MB760 – Up to 49 ppm; 630-sheet standard paper capacity, upgradable to 3,160 sheets



MB770 – Up to 55 ppm; 630-sheet standard paper capacity, upgradable to 3,160 sheets; 20-sheet convenience stapler



MB770f – Up to 55 ppm; 1,160-sheet standard paper capacity, upgradable to 1,690 sheets; 50-sheet in-line stapler



2,630-sheet standard paper capacity, upgradable to 3,160 sheets with optional 530-sheet 2nd paper tray; 50-sheet in-line stapler

¹ Published performance results based on laboratory testing on simplex sheet (1 side). Individual results may vary.

 $^{^{\}rm 2}$ Available in the U.S. and Canada only.

MB760/MB770 MFP Series

Specifications

Printer

- Print Speed: MB760 up to 49 ppm: MB770/ MB770f/MB770fx - up to 55 ppm3
- Duplex Print Speed: MB760 up to 40 ipm; MB770/MB770f/MB770fx - up to 42 ipm1
- First Page Out Time: As fast as 5 sec.1
- Print Resolution: Up to 1200 x 1200 dpi
- Duplex (2-Sided) Printing: Standard
- Processor: 1.3 GHz CPU
- Emulations: PCL® 6, PCL 5e; PDF; XPS; PostScript® 3™
- · Connectivity: Standard 1 Gigabit Ethernet (10/100/1000 Base-TX); High-Speed USB; USB Host (x2)
- Operating Systems: Microsoft® Windows® 8, Windows 7, Windows Vista®, Windows XP, Windows Server® 2012, Windows Server 2008 R2. Windows Server 2008, Windows Server 2003, Mac OS® x 10.4 to 10.8
- System Memory (Std./Max): 2 GB
- File Storage: 160 GB secure hard disk drive
- Monthly Duty Cycle: MB760 up to 250,000 pages; MB770/MB770f/MB770fx - up to 280,000 pages
- Recommended Monthly Print Volume: MB760 - 2,000 - 25,000 pages; MB770/MB770f/ MB770fx - 4,000 - 30,000 pages

- Copy Speed: MB760 up to 49 cpm; MB770/ MB770f/MB770fx - up to 55 cpm1
- First Copy Out Time: As fast as 8 sec.¹
- Copy Resolution: Up to 600 x 600 dpi
- Copy Scaling: 25% to 400%
- · Copy Modes: Text/Photo, Text, Photo
- Copy Quantity Selection: Up to 999 copies
- Copy Functionality: Duplex, 2-Up, 4-Up, Collate, Mixed size (Letter/Legal), Job build, Interrupt, Cover sheet, Sheet insertion, Edge erase, ID copy and more

- Scan Type: Color Legal-size flatbed: Duplexing/ Reversing Automatic Document Feeder (RADF)
- Max Scan Area: 8.5" x 14"
- RADF Capacity: 100 sheets max.
- Scan Speed: Up to 55 ipm Color/Mono @ 300 dpi
- Scan Resolution: Up to 600 x 600 dpi
- Scan Modes: Color, Black & White, Grayscale
- Compatibility: TWAIN, WIA
- Address Book Management: LDAP (3,000 entries)
- Formats Supported: JPEG, TIFF (multi/single page), PDF (multi/single page), Slim PDF, Secure PDF, XPS (multi/single page)
- Scan-to Capabilities: Filing box, Shared folder, Email, USB memory, WSD scan

- Fax Modem Speed: 33.6 Kbps Super G3
- Transmission Speed: Approx. 3 sec. per page²
- Fax Resolution: Up to 300 x 300 dpi
- Broadcast Transmission: Max. 400 destinations

- Fax Memory: 1 GB shared
- Fax Functionality: Dual access, Memory Tx/ Rx, Delayed transmission, PC-FAX, Speed dial (3,000), Group dial (200), Auto redial

Operator Panel

• Features: 9-in. color graphic touch-screen display; alphanumeric keypad and function buttons

Security

- Device Security: IP Filtering, MAC Filtering, IPSec (option), Secure Print, Secure Print job encryption (by secure HDD), SMTP server authentication, POP before SMTP authentication, SSL Security for SMTP Protocol, SNMPv3, SSL/TLS Encryption, Port Change, Storage Device Encryption, Secure Erase, Disable Host USB feature
- · Access Security: LDAP authentication

Paper Handling

- Standard Paper Capacity: MB760 and MB770 -630 sheets (530-sheet Main Tray + 100-sheet Multi-purpose Tray); MB770f - 1,160 sheets (with standard 530-sheet 2nd Tray incl. caster base stand); MB770fx - 2,630 sheets standard/max with 2,000-sheet Large Capacity Feeder (LCF)
- Additional Paper Capacity: MB760 and MB770 optional 530-sheet 2nd, 3rd and 4th Trays; optional 2,000-sheet LCF
- Maximum Paper Capacity: MB760, MB770 and MB770fx - 3,160 sheets; MB770f - 1,690 sheets
- Paper Types: Letter, Legal 13/13.5/14, Executive, A4, A5, B5
- Paper Size: 3" x 5" min. to 8.5" x 14" and banners up to 52" long
- Standard Paper Output: MB760 and MB770 500 sheets, face-down; MB770f and MB770fx upper 500-sheet job offset stacker, lower 100-sheet bin
- Paper Weight: 17 lb. bond 140 lb. index bristol (64 - 253 gsm)
- Stapler: MB770 20-sheet off-line convenience stapler; MB770f and MB770fx - 50-sheet inline stapler

Environmental

• Size (WxDxH):

MB770 and MB770 - 20.6" x 23.8" x 26.6" (522 mm x 604 mm x 675 mm):

MB770f - 20.6" x 23.8" x 42.5"

(522 mm x 604 mm x 1,079 mm); MB770fx - 20.6" x 23.8" x 47.8"

(522 mm x 604 mm x 1,215 mm)

- Weight: MB760 and MB770 105.8 lb. (48 kg); MB770f - 176.4 lb. (80 kg); MB770fx -172.4 lb. (78.2 kg)
- Power Consumption: Deep sleep 2W; Power-Save - <40W; Standby - 120W; Average - 870W; Peak - 1,500W
- ENERGY STAR® Compliance: Yes
- Acoustic Noise: Operating 52dBA or less; Stand-by 30dBA or less

| Ordering Information | | | | | | |
|--|--------------|--|--|--|--|--|
| Description | Part Numbers | | | | | |
| MB760 (120V) | 62441604 | | | | | |
| MB770 (120V) | 62441704 | | | | | |
| MB770f (120V) | 62441707 | | | | | |
| MB770fx (120V) | 62441710 | | | | | |
| Wireless model available by Special Order | | | | | | |
| Options | | | | | | |
| 2nd/3rd/4th 530-Sheet Paper Tray | 45479001 | | | | | |
| 2,000-Sheet Large Capacity Feeder | 45393301 | | | | | |
| Caster Base Stand | 45466601 | | | | | |
| Meta Scan enabler GS-1010 | 45518201 | | | | | |
| IPSec enabler GP-1080 | 45518401 | | | | | |
| 125 kHz HID Proximity Card Reader – White | 70064902 | | | | | |
| 125 kHz Multi 125 Card Reader – White | 70064904 | | | | | |
| 13.56 MHz MIFARE Card Reader – White | 70064906 | | | | | |
| 13.56 MHz iClass Card Reader – White | 70064908 | | | | | |
| Card Reader Bracket | 70065201 | | | | | |
| OKIcare® Warranty Extensions ⁴ U.S. MB760 | Canada | | | | | |
| 2-Year On-Site Warranty 38034702 | 38034712 | | | | | |
| 3-Year On-Site Warranty 38034703 | 38034713 | | | | | |
| MB770 Series | | | | | | |
| 2-Year On-Site Warranty 38034802 | 38034812 | | | | | |
| 3-Year On-Site Warranty 38034803 | 38034813 | | | | | |
| Supplies Standard Toner Cartridge (all models) Average Life – 18,000 pages ⁴ 45460508 | | | | | | |
| High-Capacity Toner Cartridge (all models) | | | | | | |
| Average Life – 25,000 pages ⁴ | 45460509 | | | | | |
| Extra-High Capacity Toner Cartridge (MB770 Series only) Avg. Life – 36,000 pages | 4 45460510 | | | | | |
| Image Drum – 72,000 pages ⁵ | 45456305 | | | | | |
| Stapler Refills | | | | | | |
| Finisher Staple Cartridge (15,000) Refill Kit ⁶ | 42937601 | | | | | |
| Off-Line Staple Cartridge (3,000) Refill Kit ⁷ | 45513301 | | | | | |

Warranty

- Printer: 1-Year limited On-Site warranty3
- LED Printhead: 5-Year limited warranty

For more information on Digital Mono MFPs and supplies from OKI, including OKIcare® Extended Service Programs: 1.800.OKI.DATA (800.654.3282).³

Specifications are subject to change without notice.

Featured products may not be available in all countries. Please contact your local office for regional availability.

- ¹ Published performance results based on laboratory testing. letter-size sheets. Individual results may vary.
- ² Based on ITU-T Test Chart #1.
- 3 Available in the U.S. and Canada only.
- ⁴ Declared yield in accordance with ISO/IEC 19752. Units ship with 10.000-page "starter" toner cartridges.
- ⁵ Based on 3 pages per job, simplex.
- 6 MB770f and MB770fx.
- 7 MB770 only.









OKI DATA AMERICAS, INC.

USA

2000 BISHOPS GATE BLVD. MOUNT LAUREL, NJ 08054-4620 Tel: 800.0KI.DATA (800.654.3282) Fax: 856.222.5320

WWW.OKIDATA.COM

CANADA

4140B SLADEVIEW CRESCENT **UNITS 7 & 8** Mississauga, Ontario L5L 6A1 TEL: 905.608.5000 Fax: 905.608.5040



Printed in the USA MS16076-0513

© 2013 Oki Data Americas, Inc. OKI, OKIcare Reg. T.M., Oki Electric Industry Co., Ltd. Windows, Vista, Reg. T.M., Microsoft Corp. PCL Reg. T.M., Hewlett-Packard Co. PostScript Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc. IBM, ProPrinter Reg. T.M., IBM Inc. Epson Reg. T.M., Seiko Epson Corp. Mac Reg. T.M., Apple, Inc. USB-IF logo T.M., Universal Serial Bus Implementers Forum, Inc. ENERGY STAR Reg. T.M.,