

RICOH SP C440DN



RICOH SP C440DN, the A4 printer that gives you quality colour output along with stable operation.

The RICOH SP C440DN is a printer with solid fundamental performance and trusted reliability to keep your work rolling non-stop. The RICOH SP C440DN prints at a speed of up to 40 pages per minute, comes with high duty cycle which requires minimum maintenance, ensuring a low cost per page to optimise overall office productivity.



High productivity

The RICOH SP C440DN is fast, efficient and productive. This robust colour printer takes only 50 seconds or less to warm-up, and the first black-and-white or colour print are ready in 10 seconds or 15 seconds respectively. What's more, the RICOH SP C440DN maintains its printing speed at 40 pages per minute even in duplex mode.



Flexible media handling and durability

Improve efficiency and productivity with the RICOH SP C440DN. Bring more projects in-house with an expansive media handling and crisp 1200 x 1200 dpi print resolution cap, the RICOH SP C440DN generates quality colour output and enables wider varieties of in-house projects. Media handling ranges from Plain paper to thick paper up to 256gsm, recycled paper, letterhead, pre-printed paper, label paper, glossy paper and coated paper. Paper capacity can hold up to 2,300 sheets when three additional trays are installed.



User-friendly & easy accessibility

Full-front operation enables user an easy recovery from paper jam. The front/top accessibility design allows this device to be positioned against a wall or even in a corner. The front-loading paper tray slides back underneath the machine so you will never accidentally knock or damage it.



Cost efficiency and environmental compliance

Reduce paper and supply cost with the default automatic duplex printing. With the ECO-Night Sensor, you can program the automatic startup and shut down of the printer based on ambient light in the room. This effectively conserves energy consumption and running cost. In addition, the RICOH SP C440DN is ENERGY STAR certified and offers incredibly low Typical Electricity Consumption (TEC) value.



Secure and reliable

You may share a printer with your co-workers, but you probably don't want to share everything. If you work in banking, human resources or other organisation that manages confidential documents, security is important. With the USB Device Server option, you can use a different IP address to connect the RICOH SP C440DN to a second secure network to safeguard specific information from the internet and other security threats. Furthermore, with an optional Hard Disk Drive you can use Locked Print function to hold print jobs at the printer until the user enters a pass code to authorise the printing. This ensures confidentiality. SP C440DN

MAIN SPECIFICATIONS

ENGINE SPECIFICATIONS

SP C440DN		Process
Configuration	Desktop	Memor
Technology	Laser	(Standa
Printing Process	Electro-photographic printing	Hard D
Control Panel	4-line LCD	Connee
Print Resolution	300 x 300 dpi/600 x 600 dpi/ 1200 x1200 dpi	connec
B&W Print Speed (A4)	40 Pages per minute	
Colour Print Speed (A4)	40 Pages per minute	
Maximum Monthly Volume	20,000 prints	
Maximum Monthly Duty Cycle	150,000 prints	Option
First Page Output	F/C:Less than 15 Seconds B/W: Less than 10 Seconds	
First Page Output	50 seconds or less	Printer
Standard Paper Capacity	650 sheets (550-sheet Tray + 100-sheet Bypass Tray)	
Maximum Paper Capacity	2,300 sheets	Font Su
Standard Output Capacity	Up to 500 sheets, face down	
Supported Paper Sizes	Standard Tray: A4, A5, B4, B5, B6, Letter Size, Legal size Optional Tray: A4, A5, B4, B5, B6, Letter Size, Legal size Bypass Tray: A4, A5, B4, B5, B6, Letter Size, Legal size	Netwo Suppor System
Supported Paper Weights	All Trays: 52 – 220 gsm Bypass 52 – 256gsm Duplex 56 – 162gsm	Device Utilitie
Supported Paper Types	Plain paper, Middle thick paper, Thick paper 1 to 3, Thin paper, Recycled paper, Special paper 1 to 3, Letterhead, Preprinted, Label paper, Glossy paper, Coated paper, Envelope	Mobile Print Fe
Duplexing	Automatic (Standard)	
Dimensions (WxDxH)	444 mm x 658 mm x 490 mm	
Weight	57Kg	
Power Consumption (Operating)	771W or less	
Power Consumption (Sleep Mode)	1W or less	
Typical Electricity Consumption (TEC)	5.0KWh or less	
Power Requirements	220 – 240V, 50/60Hz	
Recovery from Sleep Mode	5.0 seconds or less	
Energy Star	Certified	

CONTROLLER SPECIFICATIONS

essor Speed	533 MHz
iory idard/Maximum)	1 GB RAM
Disk Drive	320 GB (Optional)
lection Type	10/100/1000Base-TX Ethernet (RJ45) Gigabit Network Interface USB 2.0 High Speed Type B (for direct computer connection) Dual USB 2.0 Host Type A (for external device connection) Dual SD Card Slots (for expanded functions/device customization)
onal Interfaces	USB Device Server IEEE 802.11a/b/g/n Wireless LAN IEEE 1284/ECP Parallel Interface NIC2 Port
er Languages	PCL6/5c Adobe PostScript 3 PDF Optional: PictBridge
Support	PCL5:45 fonts + 13 International fonts PCL6:45 fonts Postscript 3:136 fonts
vork Protocols	TCP/IP (IPv4/IPv6)
orted Operating ms	Windows Vista/7/8/8.1/Server2003/ Server2008/Server2008.R2/ Server2012/Server2012.R2 CP5/XenApp *PCL Mac OS (X10.7 - X10.10) *PS only
ce Management ies	Web Image Monitor, @Remote, Device Manager NX series, Printer Driver Packager NX Ricoh Smart Device Print&Scan App
ile Print Other Features	Reduce/Enlarge, Collate, Layout(Nup), Toner Saving, Watermark, Rotate Print, Support for Universal Driver, Sample Print, Hold Print, Store and Print, Media Direct Print (print from USB/SD),Banner Page Print, Poster Print, Wi-Fi Protected Support (WPS),External USB Keyboard Support, Import/Export of Preference Settings.

CONTROLLER OPTION

- USB Device Server Option - 320 GB Hard Disk Drive - IEEE 802.11 Interface Unit - IEEE 1284 Interface Board - VM Card - PictBridge

HARDWARE OPTIONS

- Paper Feed Unit PB1020 - 500 Sheets Paper Capacity - Console

CONSUMABLES AND YIELDS

Toner

B&W: Approx 21,000 Pages* Colour: Approx 24,000 Pages*

*Declared yield values in accordance with ISO/IEC19798 Actual yields may vary based on types of images printed and other factors

The Ricoh SPC 440DN ships with starter toner that yields 3,000 pages (ISO/IEC 19798)

For Maximum performance and yield, we recommend using genuine Ricoh parts and supplies.

Specifications subject to change without notice.





Ricoh Australia Pty. Ltd. 8 Rodborough Road, Frenchs Forest, NSW 2086. Phone: 13 RICOH (13 74264) Fax: 02 8977 1100 Web: ricoh.com.au Ricoh New Zealand Pty. 60 Stanley Street, Parnell, Auckland New Zealand. Phone: 0800 2 Ricoh (0800 2 74264) Fax: 09 915 1401 Web: ricoh.co.nz Printed on a Ricoh. Product code: **B960263**