

# imageCLASS MF269dw/MF267dw MF264dw

imageCLASS MF269dw/MF267dw/MF264dw

Black and White | Compact | Multifunction

Print up to 30 ppm

Print up to 8-1/2" x 14"

250-sheet maximum paper capacity

Standard one-year warranty

Designed for small and home offices, the imageCLASS MF269dw/MF267dw/MF264dw models balance speedy performance and minimal maintenance, and the LCD panel delivers an intuitive user experience.





- Six-line touch LCD for easy navigation (MF269dw/MF267dw only).
- Create Wi-Fi® Direct hotspot from the printer to establish direct connection to mobile device(s) without the need for an external router.



- Canon's signature reliability and engine technologies help keep productivity high and help minimize the impact on support resources.
- Canon GENUINE supplies help ensure enhanced quality, performance, and life cycle of your Canon equipment.



#### **WORKFLOW EFFICIENCY**

- Supports mobile solutions<sup>3</sup> for printing and scanning.
- Scan and convert documents to searchable digital files.
- Designed for smaller print jobs with first-print time as fast as 5.1 seconds.



#### SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low-energy consumption.
- Encourage environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and currently rated EPEAT® Silver.¹



#### **COST EFFICIENCY**

- Out-of-the-box, standard two-sided printing plus the ability to print multiple pages onto one page helps to reduce paper consumption.
- Available high-capacity cartridge helps reduce overall supply costs.



#### SECURITY FEATURES

- Helps mitigate risk of confidential information loss, as documents are only stored in short-term memory.
- Security settings can be set behind an administrator log-in.



#### MOBILE-FRIENDLY DEVICE ACCESS

From application-based to cloud-based to device native, the imageCLASS MF269dw/MF267dw/MF264dw models offer a variety of methods for printing from a mobile phone or tablet across iOS and Android devices. The Canon PRINT Business application, which supports both platforms, offers access to additional device settings as well as the ability to scan from the printer to a mobile phone or tablet.



## **EFFICIENT DOCUMENT SCANNING**

The imageCLASS MF269dw/MF267dw/MF264dw leverage a document feeder for scanning, as well as the ability to convert files into multiple formats, including Hi-compression PDF and Searchable PDF (OCR). All three models offer the ability to do color scanning while the MF269dw offers two-sided scanning through the feeder.



#### 100% U.S.-BASED SERVICE AND SUPPORT

From cutting-edge technology to industry-leading response times, Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's award-winning, 100% U.S.-based, friendly, and knowledgeable Customer Service team provides expert assistance for every level of experience, giving you the support, peace of mind, and value your business deserves.



## **GENUINE® CONSUMABLES**

Always look for the Canon anti-counterfeiting hologram on your Canon GENUINE product packaging.

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

# **SPECIFICATIONS**

FEATURES	imageCLASS MF269dw	imageCLASS MF267dw	imageCLASS MF264dw
		MAIN UNIT	
Functions	Print/Scan/Co	py/Fax	Print/Scan/Copy
Control Panel	6-line LC		5-line LCD
Memory		256 MB	
Standard Interface Connection	USB Device 2.0 High-Speed, 10/100 Base-T Ethernet (Network), Wi-Fi 802.11 b/g/n, Wi-Fi Direct Connection		
Paper Input/Output Capacity (Letter, 20 lb. Bond)	250/50 Sheets		
Paper Sources (Letter, 20 lb. Bond)	250-sheet Paper Cassette, 1-sheet Stack Bypass		
Supported Media Types	Cassette/Bypass: Plain, Recycled, Thick, Bond, Label, Envelope		
Supported Media Sizes	Cassette/Bypass: Letter, Legal, Statement, Executive, Envelope: COM10, Monarch, C5, DL; Custom (Min. 3" x 5" to Max. 8.5" x 14")		
Supported Media Weights	Cassette/Bypass: 16 lb. Bond to 43 lb. Bond (60 to 163 g/m²)		
Warm-up Time	From Power On: 15 Seconds or Less; From Sleep Mode: 1.6 Seconds or Less		
Dimensions (W x D x H)	15.4" x 16.0" x 14.8" (390 mm x 405 mm x 375 mm)		
Weight (Machine Only/Boxed Weight)	29.3 lb. (13.3 kg)/37.4 lb. (17.0 kg) 27.3 lb. (12.4 kg)/35.2 lb. (16.0 kg)		
7, 100, 100, 100, 100, 100, 100, 100, 10	PRINT SPECIFICATIONS		
Printing Method	Laser Beam Printing		
Print Speeds <sup>2</sup>	Up to 30 ppm (Letter); Up to 24 ppm (Legal)		
First-Print-Out Time	Approx. 5.1 Seconds		
Recommended Monthly Page Volume			
Print Resolution (dpi)	250 - 2,500 Pages 600 x 600		
Standard Page Description Languages	600 x 600 UFR II-LT. PCL*6. PCL*5e		
Two-Sided Printing			
	Automatic (Standard)		
Printing from Mobile and Cloud-based Services <sup>3</sup>	Canon PRINT Business, Apple® AirPrint®, Mopria™ Print Service, Google Cloud Print™4		
Operating Systems (Print/Scan)	Windows* 10/8.1/7, Windows Server* 2016/2012 R2/2012/2008 R2/2008; Mac OS 10.8.5 and Up. Drivers Available For Download From <b>www.usa.canon.com/support</b>		
	COPY SPECIFICATIONS		
Copy Speed	Up to 30 ppm (Letter); Up to 24 ppm (Legal)		
First-Copy-Out Time (Letter)	8 Seconds or Less		
Copy Resolution (dpi)	Up to 600 x 600		
Copy Size	Platen: Up to Letter; ADF: Up to Legal		
Presets	Magnifications: 25% - 400% (1% Increments)/Reductions: 25%, 50%, 64%, 78%/Enlargements: 129%, 200%, 400%		
		SCAN SPECIFICATIONS	
Туре	Duplexing Automatic Document Feeder	, ,	ment Feeder
Type Document Feeder Paper Capacity (20 lb. Bond)	Duplexing Automatic Document Feeder 50 Sheets	SCAN SPECIFICATIONS	
		SCAN SPECIFICATIONS  Automatic Docu	
Document Feeder Paper Capacity (20 lb. Bond)  Document Feeder Supported Media Sizes	50 Sheets  Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²)	SCAN SPECIFICATIONS  Automatic Docu 35 She  Legal, Letter	ets
Document Feeder Paper Capacity (20 lb. Bond)  Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights	50 Sheets	SCAN SPECIFICATIONS  Automatic Docu 35 She  Legal, Letter  Single-sided Scanning: 13 - 2	ets
Document Feeder Paper Capacity (20 lb. Bond)  Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights  Scan Resolution (dpi)	50 Sheets  Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²)	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2	ets
Document Feeder Paper Capacity (20 lb. Bond)  Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights	50 Sheets  Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)	SCAN SPECIFICATIONS  Automatic Docu 35 She  Legal, Letter  Single-sided Scanning: 13 - 2	ets
Document Feeder Paper Capacity (20 lb. Bond)  Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights  Scan Resolution (dpi)  Scan-to-Mobile Devices	50 Sheets  Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 x 600  Canon PRINT Business  Single-sided (Colo	28 lb. Bond (50-105 g/m²)  or/BW): 8 /10.6
Document Feeder Paper Capacity (20 lb. Bond)  Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights  Scan Resolution (dpi)	50 Sheets  Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 x 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo	28 lb. Bond (50-105 g/m²)  or/BW): 8 /10.6
Document Feeder Paper Capacity (20 lb. Bond)  Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights  Scan Resolution (dpi)  Scan-to-Mobile Devices  Scan Speed (Letter) (ipm)	50 Sheets  Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 x 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo SEND SPECIFICATIONS	28 lb. Bond (50-105 g/m²)  or/BW): 8 /10.6
Document Feeder Paper Capacity (20 lb. Bond)  Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights  Scan Resolution (dpi)  Scan-to-Mobile Devices  Scan Speed (Letter) (ipm)  Destination	50 Sheets  Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, S	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo SEND SPECIFICATIONS	28 lb. Bond (50-105 g/m²)  or/BW): 8 /10.6
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, S	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo SEND SPECIFICATIONS  Super G3 FAX )	28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi)	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, S Local (50 300 x 30	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 x 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo SEND SPECIFICATIONS  Super G3 FAX )	28 lb. Bond (50-105 g/m²)  or/BW): 8 /10.6
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, S Local (50 300 x 30 File: SMB; Email: S	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 x 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo SEND SPECIFICATIONS  Super G3 FAX ) OMTP, POP3	28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi)	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, S Local (50 300 x 30	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 x 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo SEND SPECIFICATIONS  Super G3 FAX ) OMTP, POP3  ct, Searchable)	28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, S Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo SEND SPECIFICATIONS  SUPER STAX )  MTP, POP3  ict, Searchable)  FAX SPECIFICATIONS	28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 3  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo SEND SPECIFICATIONS  Super G3 FAX )  MTP, POP3  act, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps	28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi)	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 3 Local (50 300 x 30 File: SMB, Email: S TIFF, JPEG, PDF (Comp.	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  O  MTP, POP3 act, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps 0, 200 × 100	28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, S Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  O  MTP, POP3 act, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps 0, 200 × 100 Letter	28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 9  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P	Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided)  SEND SPECIFICATIONS  SUPER G3 FAX  O O O O O O O O O O O O O O O O O O O	28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)  28 lb. Bond (50-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 9  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P  Max. 104	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  O  MTP, POP3 act, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps 0, 200 × 100 Letter  ages	28 lb. Bond (50-105 g/m²)  ar/BW): 8 /10.6  ar/BW): N/A
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 9  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P  Max. 104 Max. 50 Di	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  O  MTP, POP3 Act, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps 0, 200 × 100 Letter  ages Lals	28 lb. Bond (50-105 g/m²)  ar/BW): 8 /10.6  ar/BW): N/A
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights  Scan Resolution (dpi) Scan-to-Mobile Devices  Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 9  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P  Max. 104  Max. 50 Di  Max. 114 Addr	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  SEND SPECIFICATIONS  SUPPROPA  ACT, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps 0, 200 × 100 Letter  ages  als esses	28 lb. Bond (50-105 g/m²)  ar/BW): 8 /10.6  ar/BW): N/A
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights  Scan Resolution (dpi) Scan-to-Mobile Devices  Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 9  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P  Max. 104 Max. 50 Di	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  SEND SPECIFICATIONS  SUPERIOR STAN  O  MTP, POP3 Act, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps O, 200 × 100 Letter Bages Bals Besses Lensity, Sharpness, Duplex Fax	28 lb. Bond (50-105 g/m²)  ar/BW): 8 /10.6  ar/BW): N/A
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights  Scan Resolution (dpi) Scan-to-Mobile Devices  Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 9  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P  Max. 104 Max. 50 Di Max. 114 Addr Rx Mode, Resolution, Two-sided Original	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo SEND SPECIFICATIONS  Super G3 FAX ) ) O MTP, POP3 Act, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps 0, 200 × 100 Letter ages als esses Density, Sharpness, Duplex Fax SECURITY SPECIFICATIONS	NA  NA
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 8  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P  Max. 104 Max. 50 Di Max. 114 Addr Rx Mode, Resolution, Two-sided Original	SCAN SPECIFICATIONS  Automatic Docu 35 She  Legal, Letter  Single-sided Scanning: 13 - 2  600 x 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo SEND SPECIFICATIONS  Super G3 FAX  )  O MTP, POP3  ict, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps  0, 200 x 100 Letter  ages  als  esses  Density, Sharpness, Duplex Fax  SECURITY SPECIFICATIONS  sation, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authen	NA  NA
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes  Document Feeder Supported Media Weights  Scan Resolution (dpi) Scan-to-Mobile Devices  Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 8  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P  Max. 104 Max. 50 Di Max. 114 Addr Rx Mode, Resolution, Two-sided Original	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 x 600 Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  SEND SPECIFICATIONS  Super G3 FAX ) ) O MTP, POP3  Ict, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps 0, 200 x 100 Letter  Bages  John Standard Standar	NA  NA
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features  Network Wi-Fi* Authentication Methods	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 3  Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Compile Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P  Max. 104  Max. 50 Di  Max. 114 Addr  Rx Mode, Resolution, Two-sided Original  IP/MAC Address Filtering, TLS Encrypted Communic	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  SEND SPECIFICATIONS  SUPER G3 FAX  )  OMTP, POP3  Int., Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps  0, 200 × 100  Letter  Bages  Joensity, Sharpness, Duplex Fax  SECURITY SPECIFICATIONS  Lation, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authen  /128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)  ENVIRONMENTAL SPECIFICATIONS	NA  NA  NA  NA  NA  NA
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features  Network Wi-Fi® Authentication Methods  Operating Environment	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, 5 Local (50 300 x 30 File: SMB; Email: S TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20 Statement to Up to 256 P Max. 104 Max. 50 Di Max. 114 Addr Rx Mode, Resolution, Two-sided Original  IP/MAC Address Filtering, TLS Encrypted Communic	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 x 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  SEND SPECIFICATIONS  Super G3 FAX  )  O MTP, POP3  Ict, Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps  0, 200 x 100  Letter  ages  als esses  Density, Sharpness, Duplex Fax  SECURITY SPECIFICATIONS  sation, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authen /128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)  ENVIRONMENTAL SPECIFICATIONS  50 to 86° F; Humidity: 20 to 80% RH (no condensate)	NA  NA  NA  NA  NA  NA  NA  NA  NA
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)  Destination Address Book Send Resolution (dpi) Communication Protocol File Format  Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features  Network Wi-Fi® Authentication Methods	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)  Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4  Email (SMTP), SMB, S Local (50 300 x 30  File: SMB; Email: S  TIFF, JPEG, PDF (Comp.  Super G3: 33.6 Kbps; 200 x 400, 200 x 20  Statement to Up to 256 P Max. 104 Max. 50 Di Max. 114 Addr Rx Mode, Resolution, Two-sided Original  IP/MAC Address Filtering, TLS Encrypted Communic WEP 64  Temperature: Maximum: Approx. 1080 W or Less; Average: Approx	SCAN SPECIFICATIONS  Automatic Docu 35 She Legal, Letter  Single-sided Scanning: 13 - 2  600 × 600  Canon PRINT Business  Single-sided (Colo Two-sided (Colo Two-sided (Colo Two-sided)  SEND SPECIFICATIONS  SUPER G3 FAX  )  OMTP, POP3  Int., Searchable)  FAX SPECIFICATIONS  G3: 14.4 Kbps  0, 200 × 100  Letter  Bages  Joensity, Sharpness, Duplex Fax  SECURITY SPECIFICATIONS  Lation, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authen  /128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)  ENVIRONMENTAL SPECIFICATIONS	NA  NA  NA  NA  NA  NA  NA  NA  NA

# CONFIGURATION AND ACCESSORIES



### **Extended Service Plans Available For Purchase**

If service is required, you may receive a replacement model<sup>6</sup> via advanced exchange. In this case, you'll be instructed to return the damaged unit to Canon in the replacement packaging, which also includes a prepaid shipping label. Or you may choose to carry your existing equipment to a local Authorized service facility for repair.

Canon eCarePAK (Exchange/Carry-In)

Canon extended service plans extend standard, one-year warranty<sup>5</sup> support to cover an additional one to four years.

One-Year: 5707B042 Two-Year: 5707B043 Three-Year: 5707B044 Four-Year: 5707B045

#### **Item Codes**

imageCLASS MF269dw: 2925C006 imageCLASS MF267dw: 2925C010 imageCLASS MF264dw: 2925C020

Cartridge 051: 2168C001 (Yields 1,700 Pages) Cartridge 051 H: 2169C001 (Yields 4,100 Pages)

Drum Cartridge 051: 2170C001 (Yields up to 23,000 Pages)

Standard Toner Cartridge 051 yielding 1,700 pages included with purchase.

- <sup>1</sup> For current EPEAT ratings (Gold/Silver/Bronze), please visit **epeat.net**.
- <sup>2</sup> Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.

  <sup>3</sup> Canon PRINT Business is a free app available on the App Store\* and Google Play™ Store. For more information, including compatibility, please visit usa.canon.com/mobile-app. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
- Subscription to a third-party cloud service required. Subject to third-party cloud service providers' terms and conditions.
   Warranty program is subject to certain conditions and restrictions. See warranty card for details.
   Replacement model may be new or refurbished quality.















As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors.

