HP LaserJet Pro M521dn Multifunction Printer



Ordering Information

Commercial model number: A8P79A (BGJ)

Canada model number: A8P79A

Sidebar

In the box:

Introductory black print cartridge Installation guide Support flyer Printer documentation and software on CDs Warranty card Power cord Fax cable

Software:

Windows-compatible:

HP Installer/Uninstaller HP PCL 6 print driver **HP WIA Scan Driver**

HP TWAIN Scan Driver

HP Fax Setup Wizard

HP Send Fax

HP Scan

HP Fax Print Driver

Status Alerts

HP Update

DXP

ReadIris Software

Mac-compatible:

HP Installer/Uninstaller HP postscript driver

HP Scan

HP Setup Assistant

HP Fax Print Driver

HP Utility

HP Alerts

HP Firmware Updater ReadIris Software

Standard warranty:

1 year limited onsite

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service

with DMR: 3

Next Business Day Onsite

U6Z65E

H3110E

Speed your business with fast printing, powerful scanning, cloud access, and touchscreen simplicity.

Maintain peak performance with fast print speeds. Scan both sides of a page in one pass, and easily turn paper documents into digital files. Save paper with two-sided printing, and use the 50-sheet automatic document feeder to heighten productivity.

Access, store, and print web content from the touchscreen, using business apps. 1 Easily complete a range of print, copy, scan, and fax tasks. Print right away, using the pre-installed cartridge. Monitor and manage your MFP with convenient tools.

Install this MFP and start working in minutes.² Print from your smartphone or tablet from virtually anywhere, using HP ePrint.³ Easily access the MFP, print, and share files with convenient networking. Walk up and print from your USB drive.



Enlarge Image

Help reduce energy use through Instant-on Copy and HP Auto-On/Auto-Off Technology. Conserve resources with automatic two-sided printing. Centrally control printer settings to help save energy, and easily recycle used cartridges.5

Compatible Operating Systems

Standard Desktop

Windows XP	32-bit (SP2 or higher)
Windows Server 2003	32-bit (SP3 or higher)
Windows Server 2008	32/64-bit
Windows Server 2012	*
Windows Vista®	32/64-bit
Windows® 7	32/64-bit
Windows® 8	32/64-bit
Mac OS	Mac OS X v 10.6.8 and later
Other	Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9

Additional Information

Sales	www.hp.com
	Data Sheet A8P79A
Technical Support	www.hp.com/support
Third-party solutions	www.hpgsc.com
Reseller	http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com

years	Competitive Comparisons	M521dn vs. Kyocera FS-1135MFP
Optional Care Pack Se	ervices	M521dn vs. Xerox WorkCentre 3550 MFP
Installation with Network Setup Service	Brand Specifications	_
Same Day U6Z	61E PRINTER	
Onsite, Standard Business Hours: 3 years	Print Technology AIO/MFP Functions	Laser Black and white printing, black and white copying, black and white faxing, color scanning
Same Day U6Z	Print Speed Black, Letter: ISO/Best Quality	Up to 42 ppm ⁶
Onsite,	First Page Out	As fast as 8 sec from Ready mode
Extended Business	Processor	800 MHz
Hours: 3 years	Paper Trays, Std	2
	Paper Trays, Max	3
Next Business U6Z		600 sheets
Day Onsite	Input Capacity, Max	1,100 sheets
with DMR: 3	Output Capacity, Std	250 sheets
years	Output Capacity, Max	250 sheets
Post Warranty HC1	28PE Envelope Input, Std	10
Service,	Envelope Feeder	No
Remote User	Two-Sided Printing	Automatic (standard)
Assistance	Typefaces	84 scalable TrueType fonts
Support: 1 year Post Warranty	Print Quality, Black Best Print Resolution Technology	Up to 1200 x 1200 dpi HP FastRes 1200 (600 x 600 dpi), HP ProRes 1200 (1200 x 1200 dpi), 600 x 600 dpi
Service, Same	Print Cartriages	1 (black)
Day Onsite, Standard	Print Languages, Std	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PCLm
Business Hours: 1 year Post Warranty U6Z	Printer Management 69PE	Windows: HP Device Toolbox, Status Alerts (default install), SNP Alerts (minimum network install), HP Web Jetadmin (download); Mac: HP Utility
Service, Same Day Onsite, Extended	Display Type	3.5-inch (8.89 cm) touchscreen, LCD (color graphics)
Business Hours: 1 year	SCANNER	
	67PE Scan Speed	Up to 36 ppm (black and white), up to 14 ppm (color) from ADF; up to 21 ppm at 200 dpi (black and white), up to 15 ppm at 200 dpi (color) from ADF when scanning to digital file; up to 19 ppm (black and white), up to 15 ppm (color) from Normal speed, letter
	Scan Resolution, Enhanced	Not available
	Scan Resolution, Optical	Up to 300, 600, 1200 dpi
	Grayscale Levels	256
	Scan to E-mail	Yes
	COPIER	
	Copy Speed, Max, Black	Up to 42 cpm
	Copy Resolution, Black Text	Up to 600 x 600 dpi
	Copy Resolution, Black Graphics	Up to 600 x 600 dpi
	Copier Settings	Number of copies, reduce/enlarge, lighter/ darker, optimize, paper, multi-page copy, collation, tray select, two-sided, draft mode, image adjustment, set as new defaults, restore defaults
	Number Of Copies, Max	99
	Copier Reduce/Enlarge	25–400%
	FAX	
	Fax Speed	3 sec per page ⁸

io pages ⁸ io x 300 dpi tware not included abers (each can contain 100 numbers) uires Caller ID io,000 pages ⁹ io,000 pages ¹⁰ its iond, color, letterhead, plain, preprinted hed, recycled, rough); envelopes, ardstock, transparencies, user-defined legal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 is in, Executive, 8.5 x 13 in, Envelope loo. 10, Monarch, C5, DL, B5, C6) io, Oficio 216 x 343 mm, Oficio 216 x 347 ix 15 cm, B5 (JIS), B6 (JIS), Postcard iouble Postcard (JIS), A5, A6, 16K 195 x in, 16K 184 x 260 mm, 16K 197 x 273 mm is x 5 in to 8.5 x 14 in; tray 2, optional ion x 127 to 216 x 356 mm; tray 2, itray 3: 105 x 148 to 216 x 356 mm lable lable d USB 2.0, Host USB, Fast Ethernet,
tware not included abers (each can contain 100 numbers) uires Caller ID 5,000 pages ⁹ 6,000 pages ¹⁰ ts bond, color, letterhead, plain, preprinted hed, recycled, rough); envelopes, ardstock, transparencies, user-defined egal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, Executive, 8.5 x 13 in, Envelope No. 10, Monarch, C5, DL, B5, C6), Oficio 216 x 343 mm, Oficio 216 x 347 in to 216 x 343 mm, Oficio 216 x 347 in to 216 x 343 mm, Oficio 216 x 347 in to 216 x 349 in to 8.5 x 14 in; tray 2, optional at x 5.8 in to 8.5 x 14 in; tray 2, optional at x 5.8 in to 8.5 x 14 in are x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable lable
uires Caller ID 4,000 pages 6,000 pages 7,000 pages 8,000 pages 9,000 pages 8,000 pages 9,000 pages 9
uires Caller ID 6,000 pages 6 6,000 pages 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
6,000 pages ⁹ 6,000 pages ¹⁰ ts bond, color, letterhead, plain, preprinted hed, recycled, rough); envelopes, ardstock, transparencies, user-defined egal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, Executive, 8.5 x 13 in, Envelope lo. 10, Monarch, C5, DL, B5, C6) , Oficio 216 x 343 mm, Oficio 216 x 347 x 15 cm, B5 (JIS), B6 (JIS), Postcard buble Postcard (JIS), A5, A6, 16K 195 x 16K 184 x 260 mm, 16K 197 x 273 mm 3 x 5 in to 8.5 x 14 in; tray 2, optional 1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
6,000 pages ⁹ 6,000 pages ¹⁰ ts bond, color, letterhead, plain, preprinted hed, recycled, rough); envelopes, ardstock, transparencies, user-defined egal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, Executive, 8.5 x 13 in, Envelope lo. 10, Monarch, C5, DL, B5, C6) , Oficio 216 x 343 mm, Oficio 216 x 347 x 15 cm, B5 (JIS), B6 (JIS), Postcard buble Postcard (JIS), A5, A6, 16K 195 x 16K 184 x 260 mm, 16K 197 x 273 mm 3 x 5 in to 8.5 x 14 in; tray 2, optional 1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
6,000 pages ¹⁰ ts bond, color, letterhead, plain, preprinted hed, recycled, rough); envelopes, ardstock, transparencies, user-defined egal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, Executive, 8.5 x 13 in, Envelope No. 10, Monarch, C5, DL, B5, C6), Oficio 216 x 343 mm, Oficio 216 x 347 x 15 cm, B5 (JIS), B6 (JIS), Postcard buble Postcard (JIS), A5, A6, 16K 195 x 16K 184 x 260 mm, 16K 197 x 273 mm 3 x 5 in to 8.5 x 14 in; tray 2, optional 1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
6,000 pages ¹⁰ ts bond, color, letterhead, plain, preprinted thed, recycled, rough); envelopes, ardstock, transparencies, user-defined egal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, Executive, 8.5 x 13 in, Envelope No. 10, Monarch, C5, DL, B5, C6), Oficio 216 x 343 mm, Oficio 216 x 343 x 15 cm, B5 (JIS), B6 (JIS), Postcard buble Postcard (JIS), A5, A6, 16K 195 x 16K 184 x 260 mm, 16K 197 x 273 mm 3 x 5 in to 8.5 x 14 in; tray 2, optional 1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
ts bond, color, letterhead, plain, preprinted hed, recycled, rough); envelopes, ardstock, transparencies, user-defined egal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, Executive, 8.5 x 13 in, Envelope No. 10, Monarch, C5, DL, B5, C6), Oficio 216 x 343 mm, Oficio 216 x 343 x 15 cm, B5 (JIS), B6 (JIS), Postcard buble Postcard (JIS), A5, A6, 16K 195 x 16K 184 x 260 mm, 16K 197 x 273 mm 3 x 5 in to 8.5 x 14 in; tray 2, optional 1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
ond, color, letterhead, plain, preprinted hed, recycled, rough); envelopes, ardstock, transparencies, user-defined egal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, Executive, 8.5 x 13 in, Envelope No. 10, Monarch, C5, DL, B5, C6), Oficio 216 x 343 mm, Oficio 216 x 34 x 15 cm, B5 (JIS), B6 (JIS), Postcard puble Postcard (JIS), A5, A6, 16K 195 x 16K 184 x 260 mm, 16K 197 x 273 mm 3 x 5 in to 8.5 x 14 in; tray 2, optional 1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
hed, recycled, rough); envelopes, ardstock, transparencies, user-defined egal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, Executive, 8.5 x 13 in, Envelope No. 10, Monarch, C5, DL, B5, C6), Oficio 216 x 343 mm, Oficio 216 x 34 x 15 cm, B5 (JIS), B6 (JIS), Postcard puble Postcard (JIS), A5, A6, 16K 195 x 16K 184 x 260 mm, 16K 197 x 273 m 3 x 5 in to 8.5 x 14 in; tray 2, optional 1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
s in , Executive, 8.5 x 13 in, Envelope No. 10, Monarch, C5, DL, B5, C6) , Oficio 216 x 343 mm, Oficio 216 x 34 x 15 cm, B5 (JIS), B6 (JIS), Postcard ouble Postcard (JIS), A5, A6, 16K 195 x 16K 184 x 260 mm, 16K 197 x 273 mm 3 x 5 in to 8.5 x 14 in; tray 2, optional 1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
x 15 cm, B5 (JIS), B6 (JIS), Postcard puble Postcard (JIS), A5, A6, 16K 195 x, 16K 184 x 260 mm, 16K 197 x 273 m 3 x 5 in to 8.5 x 14 in; tray 2, optional .1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
.1 x 5.8 in to 8.5 x 14 in 76 x 127 to 216 x 356 mm; tray 2, tray 3: 105 x 148 to 216 x 356 mm lable
tray 3: 105 x 148 to 216 x 356 mm lable lable
lable
d USB 2.0 Host USB Fast Ethernet
i, Phone
nt, Apple AirPrint™, Mobile Apps
power supply
tage: 110 to 127 VAC (+/- 10%), (+/- 2 Hz) and 220V-240 VAC (+/- D/60Hz (+/- 2 Hz) ¹¹
ts (Printing), 520 watts (Copying from 3.2 watts (Ready), 4.3 watts (Sleep), 0. Off)
Vh/week
ar limited warranty, Onsite
5.4 x 29.5 in (maximum), 18.3 x 18.3 x inimum)
00 x 750 mm (maximum), 465 x 465 x
(minimum)
(minimum)
23.39 x 28.86 in
23.39 x 28.86 in
23.39 x 28.86 in
23.39 x 28.86 in 04 x 733 mm
23.39 x 28.86 in 04 x 733 mm
23.39 x 28.86 in 04 x 733 mm 1 31.50 x 97.13 mm
23.39 x 28.86 in 24 x 733 mm 31.50 x 97.13 mm 300 x 2467 mm

HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A)

Accessories

Paper-handling accessories

HP LaserJet 500-sheet Feeder/Tray (CE530A)

HP LaserJet MFP M525 Cabinet (CF338A)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 55A Black Original LaserJet Toner Cartridge (CE255A)

HP 55X High Yield Black Original LaserJet Toner Cartridge (CE255X)

HP 55X 2-pack High Yield Black Original LaserJet Toner Cartridges (CE255XD)

Compatible Paper Products

Top Recommended Papers

HP Multipurpose Pape	r		
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 14 in	20 lb	500 sheets	HPM1420

HP Everyday Papers

HP All-in-One Printing Paper	HP All-in-One Printing Paper					
8.5 x 11 in	22 lb	500 sheets	HPT1122			
8.5 x 11 in	22 lb	2,500 sheets	HPT115			
HP Multipurpose Paper						
8.5 x 11 in	20 lb	500 sheets	HPM1120R			
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C			
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC			
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H			
8.5 x 14 in	20 lb	500 sheets	HPM1420			
HP Office Paper						
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC			
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C			
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP			
8.5 x 14 in	20 lb	500 sheets	HPC8514			
8.5 x 11 in	20 lb	500 sheets	HPC8511R			
HP Office Quickpack						
8.5 x 11 in	20 lb	2,500 sheets	HP2500S			
HP Recycled Paper						
8.5 x 11 in	20 lb	500 sheets	HPE1120R			
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C			
HP Business Copy Paper						
8.5 x 11 in	20 lb	500 sheets	HPBC11			
HP Everyday Copy and Print Paper						
8.5 x 11 in	20 lb	500 sheets	HPA510			
0.0 X 11 III	20 10	CCC CITCOLO	111 71010			

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- 1. Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.
- 2. HP Smart Install works with Windows® only.
- 3. Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP

LaserJet printers may require firmware upgrades.

- 4. HP Auto-On and Auto-Off Technology are subject to printer and settings. Instant-on Technology claim based on comparison with products that use traditional fusing. Instant-on Copy claim based on comparison with fluorescent tubes.
- 5. Program availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit http://www.hp.com/recycle.
- 6. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 7. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance and application software.
- 8. Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- 9. Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 10 . HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 11 . Values subject to change. Power numbers are the highest values measured using all standard voltages. See http://www.hp.com/support for current information.
- 12 . Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.